

BULL'S

Catalogue

OF

PLANTS.

MR. WILLIAM BULL'S ORCHID CATALOGUE

Post Free on Application.


MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, Seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail and other fast Steamers, to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS, sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

Cheques to be crossed "LONDON JOINT STOCK BANK."



By Special Appointment.

A CATALOGUE
OF
New, Rare, and . .
Beautiful Plants

OFFERED BY
WILLIAM BULL, F.L.S., V.M.H.,

F.R.G.S., F.Z.S., F.R.H.S., M.A.I., F.R.B.S. & M.S.A.
Socc. Hort. Berol, Bruxell, St. Petersburg et Paris, et
Soc. Agric. et Bot. Gandav. Socius.

New Plant Merchant,
536, KING'S ROAD,
CHELSEA, LONDON, S.W.

(ALL RIGHTS RESERVED.)

1899.

WILLIAM BULL, F.L.S.,
BEGS TO ANNOUNCE THAT HE IS NOW OFFERING SEVERAL
BEAUTIFUL PLANTS,
WHICH ARE
PERFECTLY NEW TO THIS COUNTRY,
An Inspection of which is invited.

Mr. W. B. respectfully calls the attention of the Nobility and Gentry
about to furnish Conservatories to the

MAGNIFICENT SPECIMEN
Ornamental Plants

IN HIS WINTER GARDEN,
Some of which are the most handsome in Europe,

COMPRISING
PALMS, CYCADS, ENCEPHALARTOS, AND DRACÆNAS,

And a Large Stock of
TREE FERNS.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found a large and fine stock of good established plants to select from. From the large number of plants in flower his Orchid Houses are always well worth a visit, and he will be pleased to show them to anyone interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly imported plants. He will be pleased to make selections suitable for cultivation either in a Cool, Intermediate, or Stove temperature as may be desired, at 3, 4, 5 and 6 guineas per dozen.

A Catalogue, containing a list of Orchids and their prices, sent post free on application.

NOTICE.

The Copyright of all the Original Illustrations in Mr. W. B.'s Catalogue is reserved, and any infringement will be proceeded against.



JASMINUM NITIDUM.

For description and price, see page 4.



DRACÆNA VICTORIA.

For description and price, see page 3.



NEW PLANTS
ANNOUNCED FOR THE FIRST TIME
BY
WILLIAM BULL, F.L.S.

AGAPANTHUS GLOBOSUM.

A distinct dwarf growing species imported from the Orange River Territory. It produces on long scapes, dense globular heads of flowers individually about an inch in diameter and of good shape. The three outer petals are lilac-blue shaded white and bluntly pointed, the inner ones emarginate and much darker in colour, the central vein of each petal dark bluish lilac. The strap-shaped leaves are arching and about a foot long. 10s. 6d.

ANTHURIUM ANDREANUM ROSEUM.

A most charming hybrid raised from *A. Andreanum*, the spathe being of a shining rose pink colour ornamented by a tricoloured spadix, the basal portion being white, the centre golden, and the tip lemon green. The foliage is of the same handsome character as the type. 31s. 6d.

DRACÆNA VICTORIA.

This exceedingly attractive new *Dracæna* is certainly one of the most handsome species yet introduced. It has been imported from Brazil, and belongs to the same section as *D. Lindenii*, from which it is quite distinct not only in the style of its variegation, but in the brightness and constancy of the colouration, the golden yellow of the leaves deepening with age instead of losing colour, as does *D. Lindenii*. Of noble habit, the plant is furnished with broad and gracefully recurving leaves, wavy at the margins, the whole leaf being bright golden yellow, with a central band of bright green, ornamented with narrow streaks varying in colour from greyish to creamy yellow. It was exhibited before the Floral Committee of the Royal Horticultural Society on the 26th October, 1898, when it was unanimously awarded a First Class Certificate. *Vide Illustration.* 3 guineas.

DRYNARIA HILLII.

An extremely handsome and effective Fern with long pinnately divided glossy green leaves, arising from a stout creeping rhizomous rootstock densely covered with long reddish brown silky hair. The fronds are broadly lanceolate in outline, the pinnae being alternate and narrowly lanceolate with undulate margins, the blade of each pinnae being connate with the next close to the stipes. The sori are borne in two rows between each of the primary veins, reaching from the midrib to the margin. It has been imported from Queensland. 2 guineas.

JASMINUM NITIDUM.

A charming new species of slender growth, introduced from the Admiralty Islands, producing a profusion of deliciously scented snow-white flowers, borne in three-flowered umbels. The blossoms, which are composed of ten to twelve ray-like petals, are large, and have an exceedingly elegant and graceful appearance. The leaves are obovate, of a bright shining green colour. This pretty new species will be found a charming addition to warm-house climbers. *Vide Illustration facing page 2.* 10s. 6d.

LICUALA MUELLERI.

A pretty ornamental unarmed Palm of good habit, a native of Rockingham Bay. In a young state the leaves are plicate, divided nearly to the base into truncate lobes or segments obtusely toothed and jagged. The foliage is bright green, closely veined with dark green, thus giving it a maculated or mottled appearance. When more mature the whole leaf is closed all round so as to appear peltate, forming a flat shield-like disc. 10s. 6d., 15s. and 21s.

NERINE CANDIDA.

A lovely and chaste pure white variety of this well-known and favourite genus of greenhouse bulbous plants, bearing on erect scapes large beads consisting of from fifteen to twenty flowers, each about two inches in diameter. The blossoms are most elegant in form, the six segments extending in the shape of an open fan, undulated on the margins and of a glistening snowy whiteness, producing a most charming effect. The leaves are of a rich green colour. 10s. 6d.

POLYPODIUM IRIOIDES LOBATUM.

A handsome variety with bright green coriaceous leaves contracted at the base into very short stipes. It is remarkable, and varies from the type in the tips of the fronds breaking up into lobes, some of the leaves bearing as many as ten to twelve segments at the apex. This Fern is of robust growth and valuable for decorative purposes. It has been introduced from Queensland. 10s. 6d.

RHODODENDRON FORDII.

This new species is a native of the Island of Lantao, China, where it was found by Mr. C. Ford's native collector. It is of shrubby habit, bearing thick coriaceous leaves, varying considerably in shape at different periods of growth and in different plants, some being lanceolate, others nearly oval, and still others obovate; the underside in the younger stages of growth is generally covered with a thick ferrugineous pubescence, becoming glabrous with age. The flowers are white, of medium size, and borne as usual in corymbs. 7s. 6d.

NEW GREENHOUSE RHODODENDRONS.

The following are all Greenhouse varieties, bearing their charming beads of bloom in the most profuse manner.

ANACREON.—Very rich bright cherry carmine flowers, well shaped and most pleasing and distinct in colour. 10s. 6d.

AURELIA.—Rich golden yellow flowers of good shape, borne in fine trusses. 10s. 6d.

CLAUDIA.—Grand trusses of large well-shaped, rich orange-buff flowers, anthers of a pretty magenta pink colour. 10s. 6d.

CEDRUS.—Well-shaped salmon-scarlet flowers, tubes being of a light straw colour; very bright and distinct. 10s. 6d.

DORIS.—An exceedingly pretty variety bearing fine trusses of pretty creamy yellow flowers. 10s. 6d.

For other New Sorts, vide page 26.

NEW DOUBLE-FLOWERED PETUNIA, VICTORIA.

A most charming and effective new Petunia, producing very full and double globular-shaped flowers composed of snow-white and bright rosy-pink petals, arranged in an irregular manner, the edges being most strikingly crimped and fringed. This pretty variety cannot fail to become a general favourite. 3s. 6d.

NEW FUCHSIAS.

GIDOUR.—Short tube and very broad recurved crimson sepals; very large rich plum purple double corolla. 5s.

ICARUS.—Carmine sepals completely recurved; bluish white single corolla veined with rosy crimson, base of the petals suffused carmine. 5s.

JANUS.—Carmine tube and sepals; very large double white corolla veined with rose at the base of the petals. 5s.

LINDA.—Large single corolla of good shape, lavender blue veined at base with crimson, broad sepals and short coral red tube. 5s.

MENTO.—A gigantic double flower with broad shell-shaped sepals of a reddish crimson colour; immense bluish purple corolla. 5s.

VALIANT.—Coral red tube and sepals, the latter broad and well reflexed; single corolla with large bright crimson-red petals. Very striking. 5s.

For other New Sorts, vide page 46.

NEW ZONAL PELARGONIUMS.

SINGLE-FLOWERED VARIETIES.

DUCHESS.—Magenta rose shaded with violet, upper petals feathered with white. A very pretty colour. 5s.

FANE.—Fine truss of rich violet flowers, upper petals marked at base with orange-scarlet. 5s.

JUMNA.—Splendid trusses, flowers magenta cerise, upper petals marked with scarlet.

LAURENCE.—Magenta purple; each petal edged with vermilion, the base of the two upper petals bright vermilion. 5s.

LANCER.—Scarlet magenta, upper petals rich orange vermilion at base. 5s.

NESIDA.—Good trusses of bloom, white shaded in centre and on the margins with rose. 5s.

NIMROD.—Upper petals fiery orange scarlet, a faint tint of purple in centres, lower petals purplish magenta, shaded scarlet on margins. 5s.

PLATO.—Fine large flower shaded salmon-pink on a white ground. 5s.

RONURA.—Grand trusses of large well-formed cerise pink flowers. 5s.

SARNIA.—Bright purplish magenta, the two upper petals bright scarlet at the base and tips; lower petals tipped with scarlet. 5s.

THERA.—Soft magenta scarlet, shaded fiery scarlet in centre. 5s.

For other New Sorts, vide page 44.



AGLAONEMA VERSICOLOR.

An attractive ornamental foliage stove plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membranous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green interspersed among patches of lighter green, and some of milky white. 7s. 6d.

NEW, RARE AND SELECT STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. 5s.

ACALYPHA GODSEFFIANA.

A distinct and pretty ornamental foliage plant introduced from New Guinea. The leaves are exquisitely variegated with white, green and yellow, the white colour entirely encircling the leaf. This plant being of dwarf and compact habit, will be found very suitable for sub-tropical bedding in favourable positions. 2s. 6d.

ACALYPHA ILLUSTRATA, 2s. 6d. and 3s. 6d.
MACROPHYLLA, 2s. 6d. and 3s. 6d.

ACALYPHA OBOVATA, 3s. 6d.
TRIUMPHANS, 3s. 6d.

ACALYPHA HISPIDA (SANDERIANA).

A very remarkable plant introduced from New Guinea. It is of branching habit and free growth, the long tail-like crimson-red spikes being produced in the freest manner, bearing some resemblance both in shape and colour to the long spikes of the well-known "Love-lies-bleeding." A most ornamental and distinct plant. 2s. 6d., 3s. 6d. and 5s.

ACANTHUS MONTANUS, 3s. 6d.

ECHMEA AMAZONICA, 5s. and 7s. 6d.

FULGENS, *vide* *Lamprococcus fulgens*.

MINIATA, *vide* *Lamprococcus miniatus*.

ECHMEA VEITCHII, *vide* Chevalliera Veitchii.

WEILBACHII, *vide* *Lamprococcus Weilbachii*.

ESCHYNANTHUS LOBBIANUS, 2s. 6d. and 3s. 6d.

AGLAONEMA PICTUM COMPACTUM.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves the petioles of which are sheathing, green with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly patched with grey, and of a pale green beneath. This plant is a native of Java. 5s.

AGLAONEMA COSTATUM, 3s. 6d.

MARANTIFOLIUM (oblongifolium), 3s. 6d.

PICTUM, 2s. 6d. and 3s. 6d.

— **GRACILE**, 5s.

VERSICOLOR, *vide* page 6.

ALLAMANDA CHELSONI, 3s. 6d.

HENDERSONI, 3s. 6d.

MAGNIFICA, 3s. 6d.

NOBILIS, 3s. 6d.

WILLIAMSII, 5s. and 7s. 6d.

ALOCASIA GIGANTEA (LONGILOBA), 3s. 6d. and 5s.

ALOCASIA HYBRIDA, 7s. 6d.

INTERMEDIA, 7s. 6d.

JENNINGSII, 2s. 6d.

LOWII GRANDIS, 7s. 6d. and 10s. 6d.

MARGINATA, 7s. 6d.

METALLICA (*euprea*), 3s. 6d. and 5s.

SANDERIANA, 5s. and 7s. 6d.

THIBAUTIANA, 5s. and 7s. 6d.

ZEBRINA, 7s. 6d. and 10s. 6d.

ALPINIA MUTICA, 7s. 6d.

VITTATA, 3s. 6d. and 5s.

AMARYLLIS (HIPPEASTRUMS).

This deservedly popular family cannot be too highly recommended. The ease with which they are cultivated and the gorgeously beautiful flowers they produce at almost any season, make them most desirable in any collection. By gradually drying the bulbs they can be put to rest at any time during the year, and then when required, if started in a gentle heat, they quickly develop their large Lily-like blossoms, which are of various colours, generally embracing crimson, white and red, scarlet, rose-flaked, striped white and crimson, with various shades of colours.

Choice selections of good sorts, 2, 3, 4, 5, and 6 guineas per dozen.

AMASONIA PUNICEA (*calycina*), 3s. 6d. and 5s.

AMONUM CARDAMONUM, 2s. 6d.

VITTATUM, 5s.

AMORPHOPHALLUS CAMPANULATUS, 5s. & 7s. 6d.

VIROSUS, a remarkable Aroid, a good Illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas.

ANONA CHERIMOLIA (*Cherimoyer*), 5s.

MURICATA (*Sour Sop*), 15s.

ANONA RETICULATA (*Netted-leaf Custard Apple*), 15s.

SQUAMOSA (*Sweet Sop*), 10s. 6d.

ANCHOMANES DUBIUS, 10s. 6d.

ANCYLOGYNE LONGIFLORA, 3s. 6d.

ANDROPOGON CITRATUS (*Lemon Grass*), 3s. 6d. and 5s.

ANTHURIUM ANDREANUM, 5s. and 7s. 6d.

ANDREANUM ROSEUM, *vide* page 3.

ANTHURIUM ANDREANUM ALBUM.

This charming white-flowered variety of the well-known *Anthurium Andreanum* has been imported from Brazil. In growth and shape of flower it is a counterpart of the type, but the spathes are of a shining ivory white, lasting a long time in perfection. A very chaste and desirable addition to our flowering stove plants. 2 guineas.

ANTHURIUM ANDREANUM SALMONEUM.

Another very pleasing variation of *Anthurium Andreanum* will be found in this plant, which produces large cordate-shaped spathes of a clear salmon colour, the corrugations in the spathe being well marked. The basal half of the spadix is white, the apical portion yellow. This forms a charming companion to the brilliant crimson scarlet-flowered typical species. 21s.

ANTHURIUM ANDREANUM SANGUINEUM.

An exceedingly fine variety of the type, with very rich dark crimson spathes, ornamented with a golden yellow spadix and shining as if varnished. The spathe is of good shape and the corrugations well marked. 42s.

ANTHURIUM BAKERI, 10s. 6d.

CARNEUM, 5s. and 7s. 6d.

ANTHURIUM CANDIDUM, 3s. 6d.

CRUENTUM, 15s. and 21s.

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. The beautiful spathes are freely produced, and last a long time in perfection. 15s. and 21s.

ANTHURIUM CRYSTALLINUM, 3s. 6d., 5s. & 7s. 6d.

DECHARDI, 3s. 6d. and 5s.

FERRIERENSE, 3s. 6d. and 5s.

FLORIBUNDUM, 3s. 6d.

ANTHURIUM GALEOTTIANUM, 5s.

HARRISII PULCHRUM, 7s. 6d. and 10s. 6d.

HYBRIDUM, 7s. 6d. and 10s. 6d.

INTERMEDIUM, 7s. 6d. and 10s. 6d.

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7s. 6d. and 10s. 6d.

ANTHURIUM LEUCONEURUM, 3s. 6d.

LUCIDUM, 5s.

MACROLONUM, 5s. and 7s. 6d.

MAGNIFICUM—*syn.* *A. grande* and *A. cordifolium*, 3s. 6d.

MOOREANUM, 15s. and 21s.

NYMPHEFOLIUM, 10s. 6d.

REGALE, 3s. 6d. and 5s.

REINE DES BELGES, 10s. 6d.

ROTHSCHILDIANUM.

ANTHURIUM SCHERZERIANUM, 3s. 6d. and 5s.

SCHERZERIANUM ALBUM GRANDIFLORUM, 15s. and 21s.

— FORMOSUM, 2 and 3 guineas.

— GIGANTEUM, 1, 1½ and 2 guineas.

— MAXIMUM, *see* next page.

— ROSEUM, *see* next page.

— RUBRUM, 1 and 1½ guinea.

— SANGUINEUM, *see* next page.

— SPLENDENS, 1, 1½ and 2 guineas.

— WARDII, 1, 1½ and 2 guineas.

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant this splendid variety will always occupy a foremost place. 2 and 3 guineas.

ANTHURIUM SCHERZERIANUM ROSEUM.

An extremely pretty variety of the well-known Flamingo Plant, *Anthurium Scherzerianum*, producing charming rose-coloured spathes flushed with salmon, in striking contrast to the rich scarlet spathes of the type. Owing to the enduring character of the spathes, Anthuriums are most desirable plants for the decoration of Stove-houses and Conservatories. 10s. 6d. and 15s.

ANTHURIUM SCHERZERIANUM SANGUINEUM.

A very handsome and distinct variety of the well-known *A. Scherzerianum*, differing from the type in the colour of its spathes, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. This is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathes lasting a long time in perfection. 10s. 6d.

ANTHURIUM TRIUMPHANS, 10s. 6d. and 15s.

VEITCHII.

WAROQUEANUM, 3s. 6d., 5s. and 7s. 6d.

ANTIGONON INSIGNE, 7s. 6d.

SPECIOSUM, 7s. 6d.

APHELANDRA AURANTIACA ROEZLII, 2s. 6d. and 3s. 6d.

BLANCHETIANA (AMENA) 3s. 6d. and 5s.

CHAMISSONIANA, 3s. 6d. and 5s.

CRISTATA, 2s. 6d.

LEOPOLDII, 2s. 6d.

ARALIA CHABRIERI, *vide* ELEODENDRON ORIENTALE.

ELEGANTISSIMA, 5s. and 7s. 6d.

GUILFOYLEI, 5s.

LEPTOPHYLLA, 3s. 6d.

LONGIPES, 10s. 6d.

RETICULATA, 2s. 6d. and 3s. 6d.

VEITCHII, 5s. and 7s. 6d.

—ORACILLIMA, 5s. and 7s. 6d.

See also page 18.

ARDISIA MAMILLATA, 2s. 6d. and 3s. 6d.

OLIVERI, 3s. 6d.

PRIMULIFOLIA, 3s. 6d.

ARISTOLOCHIA CAUDATA, 10s. 6d.

ELEGANS, 3s. 6d.

GIGAS STURTEVANTI, 5s.

ORNITHOCEPHALA, 5s. and 7s. 6d.

SACCATA, 5s.

TRILOBATA, 3s. 6d. and 5s.

WESTLANDI.

ARTOCARPUS CANNONI, *see* FICUS.

EBURNEUS, 5s.

INTEGRIFOLIUS (The Jack Fruit), 10s. 6d.

LACINIATUS METALLICUS, *see* FICUS.

ASPARAGUS, of sorts, *vide* page 18.

ATACCIA (TACCA) CRISTATA, 7s. 6d. and 10s. 6d.

BEAUMONTIA GRANDIFLORA, 5s. and 7s. 6d.

BELOPERONE ATROPURPUREA, 5s.

BERTOLONIA ALBO-PUNCTATISSIMA, 3s. 6d.

GUTTATA SPLENDENS, 15s.

MARMOREA SUPERBA, 3s. 6d. and 5s.

VAN HOUTTEI, 3s. 6d.

VELUTINA, 5s.

BIGNONIA AURANTIACA, 7s. 6d. and 10s. 6d.

CHAMBERLAYNI, 3s. 6d. and 5s.

PICTA, 5s. 6d. and 5s.

RETICULATA, 5s.

ROEZLIANA, 5s.

—VILLOSA, 5s.

See also page 18.

BILLBERGIA AMENA, 10s. 6d.

CHLOROSTICTA, 10s. 6d. and 15s.

EXSOAPA, 21s.

FARINOSA, 10s. 6d.

IRIDIFOLIA, 7s. 6d.

PYRAMIDALIS, 10s. 6d.

SAUNDERSII, 10s. 6d.

BOUGAINVILLEA GLABRA, 2s. 6d. and 3s. 6d.

GLABRA CYPRICI, 5s.

—SANDERIANA, 3s. 6d. and 5s.

LATERITIA, 2s. 6d. and 3s. 6d.

REFULGENS, 3s. 6d. and 5s.

SPECIOSA, 2s. 6d. and 3s. 6d.

SPECTABILIS, 2s. 6d. and 3s. 6d.

BROWNEA COCCINEA, 21s.

ERECTA, 1 and 1½ guinea.

GRANDICEPS, 10s. 6d.

HYBRIDA, 1½ guinea.

BURCHELLIA CAPENSIS, 2s. 6d. and 3s. 6d.

CALADIUM, *vide* page 29.

CALLIPHURIA HARTWEGIANA, 2s. 6d.

SUBEDENTATA, 2s. 6d.

CAMOENSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in erect racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 1½ guinea.

CAPPARIS FRONDOSA, 5s.

CAREX ELEGANS VARIEGATA, 2s. 6d. and 3s. 6d.

SCAPOSA, 3s. 6d. and 5s.

CENTRADENIA FLORIBUNDA ROSEA, 3s. 6d.

CEROPEGIA GARDNERI, 3s. 6d. and 5s.

WOODI, *see* next page.

CEROPEGIA WOODI.

A very ornamental and graceful trailing plant with slender greyish branches bearing small orbicular fleshy leaves, most prettily marbled with silvery white on the upper surface. Intermingled with the leaves are small globose tubers from which roots emerge. The flowers are pinkish in colour, tubular, distended at the base and expanding at the top into five dark purple segments united at the tips in the form of a crown. The variegated foliage and curious structure commend this plant alike to the connoisseur and to the botanist. It is a native of Natal, and will form a most interesting and excellent basket plant for a warm greenhouse, and is suitable for rockeries or other decorative purposes. 10s. 6d.

CHAMÆCLADON RUBENS, 5s.

CHAMERANTHEMUM BEYRICHI VARIEGATUM, 3s. 6d.

VERBENACEUM, 3s. 6d.

CHEVALLIERA (ÆCHMEA) VEITCHII, 7s. 6d. and 10s. 6d.

CHIRITA SINENSIS, 3s. 6d.

CIENTKOWSKIA KIRKII, 3s. 6d.

CINNAMOMUM CASSIA (*Cassia*), 10s. 6d.

ZEYLANICUM (*Cinnamon*), 7s. 6d.

CISSUS ALBO-NITENS, 3s. 6d.

DISCOLOR, 2s. 6d. and 3s. 6d.

LINDENI, 3s. 6d. and 5s.

PORPHYROPHYLLUS, 3s. 6d. and 5s.

CLERODENDRON BALFOURIANUM, 2s. 6d. & 3s. 6d.

DELECTUM, 3s. 6d. and 5s.

FALLAX, 3s. 6d.

FRAGRANS FLORE PLENO, 2s. 6d.

MACROSIPHON, 3s. 6d. and 5s.

NUTANS, 3s. 6d. and 5s.

SPECIOSUM, 3s. 6d.

SILENDENS, 3s. 6d. and 5s.

COCHLIOSTEMA JACOBIANUM, 5s. and 7s. 6d.

COFFEA ARABICA, 3s. 6d. and 5s.

LIBERICA, 3s. 6d. and 5s.

COLA ACUMINATA (KOLA NUT), 10s. 6d.

COLOCASIA, *vide* Alocasia.

COMBRETUM GRANDIFLORUM, 5s.

PURPUREUM, 5s.

CORYNOSTYLIS HYBANTHUS ALBIFLORA, 3s. 6d.

CROTON (CODIUM) AIGBURTHENSIS, 3s. 6d. and 5s.

AIGBURTH GEM, 3s. 6d. and 5s.

ANDREANUS, 3s. 6d.

ANEITUMENSIS, 3s. 6d. and 5s.

ANGUSTIFOLIUS, 2s. 6d.

AUREO-PUNCTATUS, 3s. 6d.

BARON FRANK SEILLIÈRE, 3s. 6d.

BARONNE JAMES DE ROTHSCHILD, 3s. 6d.

BROOMFIELDII, 5s.

CERBERUS, 5s.

COUNTESS, 3s. 6d. and 5s.

CYRUS, 5s.

DAVISII, 3s. 6d.

DELIGHT, 3s. 6d. and 5s.

DISRAELI, 3s. 6d.

DROUETHI, 5s.

DUKE OF BUCCLEUCH, 3s. 6d.

EARL OF DEREY, 3s. 6d.

EBURNEUS, 3s. 6d. and 5s.

ELEGANTISSIMUS, 3s. 6d.

ETNA, 3s. 6d. and 5s.

EVANSIANUS, 3s. 6d.

EXCURRENS, 10s. 6d.

CROTON FASOLATUS, *vide* C. Hendersoni.

FLAMBEAU, 3s. 6d. and 5s.

FLAMINGO, 3s. 6d. and 5s.

FORMOSUS, 5s.

GLORIOSUS (Princess of Wales), 5s.

GOLDEN KING, 5s.

HAUSTIFERUS, 2s. 6d. and 3s. 6d.

HAWKERII, 3s. 6d.

HENDERSONI (FASCIATUS), 3s. 6d.

HEROICUS, 5s.

INIMITABILIS, 3s. 6d.

INSIGNIS, 5s. and 7s. 6d.

LAINGII, 3s. 6d.

MADLE. MARIE VAN HOUTTE, 3s. 6d. and 5s.

MAGNIFICENT, 3s. 6d. and 5s.

MAJESTICUS, 3s. 6d.

MASSANGHANUS, 3s. 6d. and 5s.

MEMPHIS, 10s. 6d.

MORTII, 3s. 6d.

MORTEFONTANENSIS, 3s. 6d.

NEPTUNE, 3s. 6d. and 5s.

NIMROD, 3s. 6d. and 5s.

NESTOR, 3s. 6d. and 5s.

NOBILIS, 3s. 6d.

OBERON, 3s. 6d.

ORNATUS, 7s. 6d. and 10s. 6d.

PRINCE OF ORANGE, 15s.

PICTURATUS, 2s. 6d. and 3s. 6d.

PRINCE OF WALES, 3s. 6d.

PRINCESS OF WALES, *vide* C. gloriosus.

QUEEN VICTORIA, 3s. 6d.

REIDII, 5s. and 7s. 6d.

REX, 3s. 6d.

RUBERRIMUS, 3s. 6d.

SCEPTRE, 10s. 6d.

SCHOMBURGKIANUS, 3s. 6d.

SPECIOSUS, 3s. 6d. and 5s.

SPLENDIDUS, 5s.

SUNBEAM, 3s. 6d. and 5s.

SUNRISE, 3s. 6d. and 5s.

SUNSET, 3s. 6d. and 5s.

SUNSHINE, 3s. 6d. and 5s.

THOMPSONI, 3s. 6d.

UNDULATUS, 3s. 6d.

VEITCHIANUS, 3s. 6d.

VICTORY, 10s. 6d.

WARRENII, 3s. 6d. and 5s.

WEISMANNI, 3s. 6d.

WILLIAMSHI, 3s. 6d.

CRYPTANTHUS (TILLANDSIA) ACAULIS, 3s. 6d.

(TILLANDSIA) ACAULIS ZEBRINA, 5s.

(—) — AUREA, 7s. 6d.

(—) BEUCKERII, 7s. 6d. and 10s. 6d.

(—) BIVITTATA, 5s. and 7s. 6d.

CRYPTANTHUS NITIDUM.

This exceedingly pretty ornamental-foliaged Bromeliad has been imported from Brazil, and is remarkable for its compact rosette-like growth. It is a stemless species with densely crowded, spreading foliage of a most attractive character and neat growth. The leaves are sessile, lanceolate acuminate, wavy and denticulate at the margins, dark olive green, with a broad band of cream colour on either side of the midrib, heavily suffused with reddish pink. The under surface is silvery white with raised reticulations. 10s. 6d.

CURCULIGO RECURVATA, 1s. 6d. and 2s. 6d.

RECURVATA STRIATA, 7s. 6d.

— VARIEGATA, 5s. and 7s. 6d.

CYANOPHYLLUM BOWMANI, 5s.

MAGNIFIQUM, 3s. 6d. and 5s.

CYANOTIS (TRADESCANTIA) PILOSA AUREA, 2s. 6d.

(TRADESCANTIA) ZANONIA, 3s. 6d.

(—) ZEBRINA, 2s. 6d.

(—) — MULTICOLOR, 2s. 6d.

See also Tradescantia, page 17.

CYPERUS ALTERNIFOLIUS, 1s. 6d. and 2s. 6d.

ALTERNIFOLIUS VARIEGATUS, 2s. 6d. and 3s. 6d.

FERTILIS, 5s.

LAXUS, 1s. 6d.

— VARIEGATUS, 3s. 6d. and 5s.

CYRTANTHERA CHRYSOSTEPIANA, 3s. 6d.

POHLIANA, 3s. 6d.

CYRTODEIRA CHONTALENSIS, 2s. 6d. and 3s. 6d.

FULGIDA, 2s. 6d. and 3s. 6d.

METALLICA, 2s. 6d. and 3s. 6d.

DALECHAMPIA ROEZLIANA ALBA, 2s. 6d. & 3s. 6d.

ROEZLIANA ROSEA, 2s. 6d. and 3s. 6d.

DAVIDSONIA PRURIENS (Queensland Plum), 21s.

DESMODIUM GYRANS (Telegraph Plant), 3s. 6d.

DICHORISANDRA MUSAICA, 5s. and 7s. 6d.

UNOATA, 3s. 6d. and 5s.

DIEFFENBACHIA AMAZONICA, 2s. 6d., 3s. 6d. & 5s.

BARAQUINIANA, 2s. 6d. and 3s. 6d.

BAUSEI, 2s. 6d. and 3s. 6d.

BOWMANNII, 2s. 6d. and 3s. 6d.

CARDERII, 3s. 6d. and 5s.

COSTATA, 5s.

EBURNEA, 2s. 6d., 3s. 6d. and 5s.

FLAVO-VIRENS, 2s. 6d. and 3s. 6d.

GRANDIS, 3s. 6d.

ILLUSTRIS, 5s.

INSIGNIS, 7s. 6d.

LEOPOLDII, 2s. 6d., 3s. 6d. and 5s.

LUCINDA, 3s. 6d.

MACULOSA, 3s. 6d.

MAGNIFICA, 3s. 6d.

MEMORIA CORSI, 3s. 6d.

NEBULOSA, 3s. 6d.

NOBILIS, 2s. 6d. and 3s. 6d.

PICTA, 2s. 6d. and 3s. 6d.

PRINCEPS, 7s. 6d.

REX, 3s. 6d. and 5s.

SHUTTLEWORTHII, 2s. 6d., 3s. 6d. and 5s.

SPLENDENS, 2s. 6d. and 3s. 6d.

TRIUMPHANS, 7s. 6d.

VELUTINA, 2s. 6d. and 3s. 6d.

WEIRII, 2s. 6d. and 3s. 6d.

DIOSCOREA ANGEOTCHILUS, 5s. and 7s. 6d.

ARGYREIA, 5s. and 7s. 6d.

BULBIFERA, 5s.

CHRYSOPHYLLA, 5s.

DISCOLOR VARIEGATA, 3s. 6d.

ILLUSTRATA, 3s. 6d.

METALLICA, 5s.

SPECIOSA, 5s.

DIPLADENIA AMABILIS, 3s. 6d.

AMENA, 3s. 6d.

ATROPURPUREA, 7s. 6d.

BOLIVIENSIS, 3s. 6d.

BREARLEYANA, 5s. and 7s. 6d.

HARRISII, *vide* Odontodenia speciosa.

HYBRIDA, 3s. 6d.

INSIGNIS, 3s. 6d.

MAGNIFIOA (ACUMINATA), 3s. 6d. and 5s.

UROPHYLLA, 3s. 6d. and 5s.

DIPTERIX ODORATA (TONQUIN BEAN), 21s.

DORSTENIA ARGENTEA, 5s.

BARTERI, 7s. 6d.

CAULESCENS, 7s. 6d.

THOMSONII, 7s. 6d.

DRACÆNA ALBERTII, 3s. 6d. and 5s.

ALBO-MARGINATA, 3s. 6d.

AMABILIS, 3s. 6d.

ANERLEYENSIS, 3s. 6d. and 5s.

ANGUSTATA, 3s. 6d. and 5s.

ANGUSTIFOLIA, 3s. 6d. and 5s.

ARGENTEO-STRATA, 2 and 3 guineas.

AURANTIACA, 3s. 6d. and 5s.

BARTETII, 3s. 6d. and 5s.

BAUSEI, 3s. 6d. and 5s.

BERKELEYI, 3s. 6d. and 5s.

CANTRELLII, 7s. 6d.

CAUSTONI, 3s. 6d. and 5s.

CONOESTA, 2s. 6d. and 3s. 6d.

COULLINGII, 3s. 6d. and 5s.

COOPERI, 2s. 6d. and 3s. 6d.

CRISTULA, 3s. 6d.

DOUCETTI, 21s. and 31s. 6d.

ELIZABETHÆ, 3s. 6d.

ERNESTII, 3s. 6d. and 5s.

EXQUISITE, 5s.

FERREA VARIEGATA, 3s. 6d.

FRAGRANS, 3s. 6d. and 5s.


— VARIEGATA, 7s. 6d.

FREDERICI, 3s. 6d. and 5s.

GLADSTONEI, 3s. 6d. and 5s.

DRACÆNA GODSEFFIANA.

A very distinct and useful new species combining a vigorous constitution and a peculiarly graceful habit. The foliage is of a deep shining green heavily spotted and splashed with creamy white, giving the plant a most effective appearance. It is of elegant habit and very free growing. 5s.



FICUS RADICANS VARIEGATA. For description and price, *vide* page 14.

DRACÆNA GOLDIEANA, 5s., 7s. 6d. and 10s. 6d.

GRACILIS, 3s. 6d.
 GUILFOYLEI, 3s. 6d.
 G. VERBONEN, 3s. 6d.
 IGNEA, 3s. 6d.
 JAMESII, 3s. 6d. and 5s.
 LADY MOSLEY, 5s.
 LAINGII, 3s. 6d. and 5s.
 LEONARDII, 3s. 6d.
 LINDENI, 3s. 6d. and 5s.
 LORD WOLSELEY, 3s. 6d. and 5s.
 LOUISA, 3s. 6d. and 5s.
 MADAME BERGMANN, 5s.
 — HEINE, 5s.
 MAJESTICA, 3s. 6d. and 5s.
 MASSANGIANA, *vide* *fragnans* variegata.
 MRS. BAUSE, 3s. 6d. and 5s.
 MRS. C. J. FRAKE, 3s. 6d.
 MRS. ROBERT TURNER, 3s. 6d. and 5s.
 MRS. WILLS, 3s. 6d.
 NORWOODIENSIS, 3s. 6d. and 5s.
 PENDULA, 3s. 6d. and 5s.
 PHRYNIOIDES, 7s. 6d.
 PRINCE CHARLES OF DENMARK, 3s. 6d. and 5s.
 PRINCE MANOUK BEY, 3s. 6d. and 5s.
 REGINA, 3s. 6d.

DRACÆNA RENARDIÆ, 5s.

ROSSII, 3s. 6d. and 5s.
 RUBRA, 2s. 6d. and 3s. 6d.
 SALMONEA, 3s. 6d. and 5s.
 SANDERIANA, 2s. 6d., 3s. 6d. and 5s.
 SANS PAREIL, 5s.
 SIDNEYI, 3s. 6d.
 SPLENDENS, 3s. 6d. and 5s.
 STRICTA, 3s. 6d.
 SUPERBA, 3s. 6d. and 5s.
 SURCULOSA MACULATA, 5s.
 TERMINALIS, 2s. 6d. and 3s. 6d.
 — ALBA, 3s. 6d. and 5s.
 THOMSONII, 3s. 6d. and 5s.
 VICTORIA, *vide* page 3.
 VITICANS, 3s. 6d. and 5s.
 WILLSII, 5s.
 WILSONI, 5s., 7s. 6d. and 10s. 6d.
See also page 21.

DRACONTIUM ASPERUM, 5s.

CARDERI, 7s. 6d.
 SCALPTURATUM, 7s. 6d.
DYCKIA BREVIFOLIA, 7s. 6d.
ECHITES, *vide* *Dipladenia*.
 PICTA, 3s. 6d. and 5s.

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate ercunate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 5s. and 7s. 6d.

ELEODENDRON ORIENTALE (ARALIA

CHABRIERI), 3s. 6d. and 5s.
ELETTARIA DIEPENHORSTII, 5s.
ENCEPHALARTOS, *vide* Index.
ENCHOLIRION CORALLINUM, 7s. 6d.
EPIPREMNUM MIRABILE ("TONOA PLANT"), 3s. 6d. and 5s.
ERANTHEMUM CINNABARINUM, 5s.
 MACROPHYLLUM, 5s.
 PULCHELLUM, 2s. 6d. and 3s. 6d.
 VELUTINUM, 5s.
 VERBENACEUM, *vide* *Chameranthemum*.

ERYTHROXYLON COCA (*Coca*), 15s.

EUADENIA EMINENS, 21s.
EUCHARIS AMAZONICA, 1s. 6d. and 2s. 6d.; 15s. and 24s. per dozen.
 CANDIDA, 2s. 6d. each; 24s. per dozen.
 MASTERSII, 2s. 6d. and 3s. 6d.

EUGENIA JAMBOS (*Rose Apple*), 10s. 6d.

LANCÉOLATA, 7s. 6d.
 PIMENTA (*Allspice*), 5s.
Vide also page 21.
EUPHORBIA JACQUINIEFLORA, 2s. 6d. and 3s. 6d.
 SPLENDENS, 2s. 6d. and 3s. 6d.

EURYCLES AUSTRALASICA.

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3s. 6d. each; 36s. per dozen.

EURYCLES CUNNINGHAMII.

This rare and handsome bulbous plant is a native of Queensland, where it has now become very scarce. It produces on short erect scapes, large heads of chaste white flowers, very useful for cutting and other decorative purposes. 3s. 6d. each; 30s. per dozen.

EXOSTEMMA CHONTALENSIS, 10s. 6d.

FICUS BARBATA, 2s. 6d. and 3s. 6d.
 (ARTOCARPUS) CANNONI, 3s. 6d.
 Eburnea, 5s.
 ELASTICA VARIEGATA, 3s. 6d. and 5s.
 EXSULPTA, 3s. 6d. and 5s.
 INDICA, 3s. 6d.

FICUS (ARTOCARPUS) LACINIATA METALLICA, 3s. 6d.

MOOREI, 5s.
 RADIOANS, 1s. 6d. and 2s. 6d.
 —VARIEGATA. For description *vide* page 14.
 RELIGIOSA (*Sacred Indian Fig*), 7s. 6d.
 SYCOMORUS (*Sycamore Tree of Scripture*), 7s. 6d.
See also Greenhouse Plants.

FICUS RADICANS VARIEGATA.

This charming and effective variety of *Ficus radicans* is without doubt destined to become "a plant for everyone," its easy culture, effective variegation and regular growth making it one of the best ornamental variegated plants ever sent out. The elegant appearance of this pretty plant and its effective variegation is most striking, the leaves being freely and irregularly margined with white, the variegation sometimes extending to nearly the entire leaf, some of the young shoots and leaves being wholly white. As a variegated plant for a hanging pot or vase it cannot be excelled, while its bright and cheerful variegation will commend it to everyone as an ideal plant for the margins of stages and growing as single plants round sticks or on a trellis. It was unanimously awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. *Vide* illustration, page 12. 10s. 6d.

FITTONIA ARGYRONEURA, 2s. 6d.

GIGANTEA, 2s. 6d.

PEARCEI, 2s. 6d.

FRANCISCEA CALYCOINA, 3s. 6d. and 5s.

CONFERTIFLORA (LAURIFOLIA), 3s. 6d.

EXIMIA, 3s. 6d.

LINDENI, 3s. 6d.

MAGNIFICA, 5s.

VIOLACEA GRANDIFLORA, 3s. 6d. and 5s.

GARCINIA LIVINGSTONI, 10s. 6d.

GARDENIA CITRIODORA, 3s. 6d.

FLORIDA, 2s. 6d. and 3s. 6d.

GLOBOSA, 5s.

RADICANS, 2s. 6d. and 3s. 6d.

GEISSOMERIA MARMORATA, 3s. 6d.

GESNERA CALYPSO, 5s.

DUVALII, 3s. 6d.

LEOPOLDII, 3s. 6d.

— ALBO-CARMINEA, 3s. 6d.

— ROSEO-LILACINA, 3s. 6d.

MACRANTHA, 2s. 6d.

See also page 31.

GLOBBA ALBA, 5s. and 7s. 6d.

GLORIOSA PLANTII, 2s. 6d. and 3s. 6d.

SUPERBA, 3s. 6d.

GLOXINIA, *vide* page 31.

GOLDFUSSIA ANISOPHYLLA, 2s. 6d. and 3s. 6d.

GONOLOBUS CUNDURANGO, *vide* page 21.

GRAPTOPHYLLUM PICTURATUM.

A very striking and effective stove plant of free growth, furnished with opposite lanceolate leaves, having a central variegation of rich golden yellow, maturing with age into creamy yellow. 5s.

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5s. and 7s. 6d.

GUZMANNIA PICTA (NIDULARIUM FULGENS),

7s. 6d. and 10s. 6d.

HÆMANTHUS, *vide* page 21.

HEVEA BRASILIENSIS (*Para Rubber*), 31s. 6d.

HELICONIA AUREO-STRATA, 5s. and 7s. 6d.

BREVISPATHIA, 10s. 6d.

HELICONIA ILLUSTRIS.

This handsome *Heliconia* is undoubtedly one of the most beautifully coloured foliage plants ever introduced. It comes from the South Sea Islands and is of Musa-like growth, the leaves being arranged in two ranks above and tufted at the base. The stalks are sheathing and of a bright rose-red colour, supporting ovate-lanceolate spreading leaves, the prominent midrib of a beautiful rose-pink colour, the secondary veins, of which many run to the margin and form loops, being of the same brilliant colour. It will form, without question, a most superb adornment to our Stoves. 5s., 7s. 6d. and 10s. 6d.

HEMIGRAPHIS COLORATA, 3s. 6d.

HIBISCUS ROSA SINENSIS ALBO-VARIEGATA,
2s. 6d. and 3s. 6d.

ROSA SINENSIS BRILLIANTISSIMA, 2s. 6d.

— DENNISONI, 2s. 6d.

— INTERMEDIA, 5s.

— LAMBERTII, 2s. 6d.

— MAGNIFICA, 5s.

— MINIATA SEMI-PLENA, 2s. 6d.

— PUNIOEA, 2s. 6d.

— VIVICANS, 3s. 6d.

— ZEBRINA, 3s. 6d.

SCHIZOPETALUS, 3s. 6d.

See also pages 21 and 28.

HIPPEASTRUM, *vide* Amaryllis.

HOFFMANNIA (HIOGINSIA) GHIESBREGHTII,
2s. 6d. and 3s. 6d.

ORTGIESII, 3s. 6d.

REFULGENS ROBUSTA, 3s. 6d.

HOPLOPHYTUM LINEATUM, 2 and 3 guineas.

HOYA BELLA, 2s. 6d. and 3s. 6d.

CAMPANULATA, 3s. 6d. and 5s.

CARNOSA, 2s. 6d. and 3s. 6d.

IMPERIALIS, 3s. 6d. and 5s.

HYDROCOTYLE NITIDULA, 3s. 6d.

HYMENOCALLIS MACROSTEPHANA, various sizes,
from 5s. to 21s.

Vide *Pancreatium*.

HYPOLYTRUM SCHRADERIANUM.

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts, green with purplish-red margins, traversed on the upper surface by two ribs running equidistant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. 2 and 3 guineas.

IMPATIENS FLACIDA (PLATYPETALA), 2s. 6d.

FLACIDA (PLATYPETALA) ALBA, 2s. 6d.

HAWKERII, 2s. 6d. and 3s. 6d.

SULTANI, 1s. 6d.

— CARMINATA, 3s. 6d.

— SALMONEA, 2s. 6d.

IPOMEEA HORSFALLIÆ, 5s. and 7s. 6d.

LEARII, 2s. 6d. and 3s. 6d.

TERNATA (THOMSONIANA), 3s. 6d. and 5s.

IXORA ARDENS, 15s.

AURELIA, 3s. 6d.

OCCINEA SUPERBA, 3s. 6d.

DUFFII, *vide* I. macrothyrsa.

EXIMIA, 7s. 6d.

ILLUSTRIS.

LOBBII, 7s. 6d.

MACROTHYRSA (DUFFII), 3s. 6d. and 5s.

MIRANDA, 7s. 6d.

ORNATA, 7s. 6d.

PILGRIMII, 3s. 6d.

PRINCEPS, 3s. 6d.

REGINA, 3s. 6d.

SALMONEA, 15s.

VENUSTA, 7s. 6d.

VERONA, 3s. 6d.

WESTII, 3s. 6d.

WILLIAMSHII, 3s. 6d.

JACARANDA MIMOSEFOLIA, 2s. 6d. and 3s. 6d.**JASMINUM GRACILLIMUM, 3s. 6d.**

HIRSUTUM (MULTIFLORUM), 2s. 6d. and 3s. 6d.

NITIDUM, *vide* page 4.

SAMBAC, 2s. 6d. and 3s. 6d.

— FLORE PLENO, 3s. 6d.

See also page 22.

JATROPHA MULTIFIDA, 5s.**JONESIA ASOCA, 10s. 6d. and 15s.****JUSTICIA CARNEA, 2s. 6d.**

FLAYACOMA, 2s. 6d.

KEMPFERIA BENSONIÆ, 7s. 6d.

GILBERTII, 3s. 6d.

MOULMEINENSIS, 7s. 6d.

ROSCEANA, 5s.

ROTUNDA, 5s.

KICKXIA AFRICANA (Lages Rubber), 21s.**KYLLINGIA MONOCEPHALA, 3s. 6d.****LABISIA ALATA, 7s. 6d.****LAMPROCOCCLUS (ÆCHMEA) FULGENS, 3s. 6d. and 5s.**

(ÆCHMEA) MINIATUS, 5s.

(—) WEILBACHII, 7s. 6d.

(—) SPECIOSUS, 3 guineas.

LANDOLPHIA KIRKII, 10s. 6d.

WATSONIANA (African Rubber), 7s. 6d.

LAPORTEA SCHOMBURGKII VERSICOLOR, 10s. 6d.**LAURUS CINNAMOMUM, 5s. and 7s. 6d.****LEDENBERGIA ROSEO-JENEA, 3s. 6d.****MACROZAMIA, *vide* page 36.****MAGNOLIA PUMILA, 3s. 6d. and 5s.****MANETTIA BICOLOR, 2s. 6d. and 3s. 6d.****MARANTA ARUNDINACEA (The Arrowroot Plant), 7s. 6d.**

ARUNDINACEA VARIEGATA (PHRYNIUM VARIEGATUM), 2s. 6d. and 3s. 6d.

BELLA, 7s. 6d.

BICOLOR, 5s.

GRATIOSA, 7s. 6d.

ICONIFERA, 3s. 6d.

KERCHOVEANA, 3s. 6d. and 5s.

LEOPOLDII, 3s. 6d.

LINDENI, 3s. 6d.

LUBBERSII, 3s. 6d.

MAKOYANA, 3s. 6d.

MASSANGEANA, 3s. 6d.

MUSAICA, 10s. 6d.

NITENS, 7s. 6d.

NITIDA, 10s. 6d.

MARANTA (CALATHEA) PICTA.

A most ornamental and distinct species introduced from Brazil. It is of compact growth, the blade of the leaf broadly lanceolate acuminate, wavy at the margin, of a rich velvety deep green colour, strikingly ornamented with a central variegation of yellowish green, the colour extending along the upper side of each principal vein nearly half way across the leaf blade, thence decreasing in a premorse manner to the base of the next vein, the variegation nearly resembling in outline the tail of some fishes. The under side of the leaf is of a deep claret color. This pretty and desirable plant has received an Award of Merit from the Floral Committee of the Royal Horticultural Society. 21s.

MARANTA PRASINA, 7s. 6d.

ROSEO-PICTA, 3s. 6d.

VEITCHII, 3s. 6d. and 5s.

WARSCWICZII, 3s. 6d.

ZEBRINA, 3s. 6d.

MARCGRAVIA PARADOXA, 3s. 6d.**MEDINILLA MAGNIFICA, 3s. 6d.****MELASTOMA MALABATHRICA, 5s.****MESUA FERREA, 7s. 6d. and 10s. 6d.****METHONICA, *vide* Gloriosa.****MEYENIA ERECTA, 2s. 6d. and 3s. 6d.****MIMOSA ARGENTEA.**

This pretty variegated species has been imported from Brazil, and is one of the same section as that to which the ordinary Sensitive Plant belongs. It is of climbing habit with very slender, hairy stems and branches, furnished with elegant bipinnate leaves. Each leaf bears two, rarely three, pairs of spreading pinne, each bearing about forty oblong leaflets, green at the tips and silvery grey on the basal half; the under side of the leaflet is of a pinkish colour, as also are the young growths. This will be found a very neat and pretty climbing plant for the stove. 10s. 6d.

MONSTERA DELICIOSA (Philodendron pertusum), 5s. and 7s. 6d.

MUSA CAVENDISHII, 10s. 6d. and 15s.

SUPERBA, 10s. 6d. and 15s.

ZEBRINA, 10s. 6d. and 15s.

MUSSEENDA FRONDOSA, 2s. 6d. and 3s. 6d.

NAPOLEONA IMPERIALIS, 5s. and 7s. 6d.

NEPENTHES AMPULLARIA VITTATA, 10s. 6d.

CHELSONI, 15s.

COCCINEA, 15s.

COURTII, 15s.

DISTILLATORIA, 10s. 6d.

DOMINII, 7s. 6d.

DORMANIANA, 10s. 6d.

GRACILIS MAJOR, 3s. 6d.

NEPENTHES HENRYANA, 15s. and 21s.

HOOKERI, 15s.

INTERMEDIA, 10s. 6d.

KENNEDYANA, 10s. 6d.

LAWRENCEANA, 10s. 6d. and 15s.

MASTERSIANA, 10s. 6d.

MORGANÆ, 10s. 6d. and 15s.

OUTRAMIANA, 10s. 6d.

RAFFLESIANA, 10s. 6d.

SREDNI, 3s. 6d. and 5s.

STEWARTII, 7s. 6d.

SUPERBA, 10s. 6d.

NEPHTHYTIS LIDERIOA, 5s.

NIDULARIUM FULOENS, *vide* Guzmania picta.

INNOCENTII, 3s. 6d. and 5s.

NIDULARIUM INNOCENTII STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from 8 to 12 inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. 5s., 7s. 6d. and 10s. 6d.

NIDULARIUM METALLICUM, 10s. 6d. and 15s.

SPECTABILE, 3s. 6d. and 5s.

OCHROSIA ELLIPTICA, 5s.

ODONTODENIA SPECIOSA (DIPLADENIA HARRISII), 10s. 6d.

OPLISMENUS BURMANNI VARIEGATUS (PANICUM VARIEGATUM), 1s. 6d.

INTERMEDIUS (PANICUM INTERMEDIUM), 2s. 6d. and 3s. 6d.

ORCHIDS, *vide* Orchid Catalogue.

OXALIS BUPLEURIFOLIA, 5s.

SENSITIVA, 3s. 6d. and 5s.

PALISOTA BARTERI, 5s.

PALMS, of sorts, *vide* Index.

PANAX VICTORIE, 2s. 6d. and 3s. 6d.

PANCRATIUM EXPANSUM, 7s. 6d.

FRAGRANS, 3s. 6d., 5s. to 21s.

MACROPHYLLUM, 10s. 6d., 15s. and 21s.

SPECIOSUM, 5s. and 7s. 6d.

Vide HYMENOCALLIS.

PANDANOPHYLLUM HUMILE, 1½ guinea.

PANDANUS JAVANICUS VARIEGATUS, 3s. 6d. & 5s. VEITCHII, 3s. 6d. and 5s.

PANICUM VARIEGATUM, *vide* Oplismenus.

INTERMEDIUM, *vide* Oplismenus.

PARITUM ELATUM (CUDAS BAST), 7s. 6d.

PASSIFLORA ALATA, 2s. 6d. and 3s. 6d.

BUONAPARTEA, 2s. 6d. and 3s. 6d.

CARDINALIS, 2s. 6d. and 3s. 6d.

EDULIS, 2s. 6d. and 3s. 6d.

FULGENS, *vide* Tacsonia Buchanani.

KERMESINA, 3s. 6d.

LAURIFOLIA, 5s.

MACROCARPA, 3s. 6d. and 5s.

PRINCEPS (RAEMOSA), 3s. 6d.

QUADRANGULARIS, 2s. 6d. and 3s. 6d.

— VARIEGATA, 3s. 6d. and 5s.

VIOLACEA, 3s. 6d.

VITIFOLIA, *vide* Tacsonia Buchanani.

See also page 23.

PAULLINIA HOODIENKII, 10s. 6d.

SORBILIS, Guatana Tea Plant, 10s. 6d.

PAVETTA BORBONICA, 7s. 6d.

PAVONIA MAKOYANA, 3s. 6d.

MULTIFLORA (WIOTII), 3s. 6d.

PELLIONIA DAVEAUNA, 2s. 6d.

PULCHRA, 2s. 6d.

PENTAS CARNEA, 2s. 6d.

KERMESINA, 3s. 6d.

PEPEROMIA METALLICA, 2s. 6d. and 3s. 6d.

PHALANGIUM, *vide* page 23.

PHILODENDRON CARDERI, 7s. 6d.

CRINIPES, 5s.

DISCOLOR, 5s.

GLORIOSUM, 5s. and 7s. 6d.

IMPERIALE (MAMEI), 5s. and 7s. 6d.

LINDENIANUM, 3s. 6d. and 5s.

MELANOCORYS, 5s.

NOBILE, 7s. 6d. and 10s. 6d.

PERTUSUM, *vide* Monstera deliciosa.

QUEROIFOLIUM, 5s.

RADIATUM, 5s.

PHRYNIUM VARIEGATUM, *vide* Maranta arundinacea variegata.

PHYLLANTHUS ATROPURPUREUM, 3s. 6d.

ELEGANS, 5s.

ELONGATUM, *vide* Xylophylla.

MUCRONATUM, 3s. 6d.

NIVOSUM, 3s. 6d.

ROSEO-PIOTUM, 3s. 6d.

PHYLLOTENIUM LINDENI, 3s. 6d. and 5s.

PIPER ARGENTEUM, 5s.

ORNATUM, 2s. 6d. and 3s. 6d.

RUBRO-VENOSUM, 3s. 6d.

PIPERS, of sorts, 2s. 6d. and 3s. 6d.

PITCAIRNIA ALTA, 10s. 6d.

ALTENSTEINII, 7s. 6d.

CORALLINA, 5s. and 7s. 6d.

PLATYPHYLLA, 7s. 6d.

TABULIFORMIS, 3s. 6d. and 5s.

PLUMBAGO COCCINEA SUPERBA, 2s. 6d. and 3s. 6d.

ROSEA, 2s. 6d. and 3s. 6d.

See also page 23.

POGOSTEMON PATCHOULI, 2s. 6d. and 3s. 6d.

POINSETTIA PULCHERRIMA, 1s. 6d. and 2s. 6d.

PULCHERRIMA ALBA, 2s. 6d. and 3s. 6d.

— PLENISSIMA, 2s. 6d. and 3s. 6d.

— ROSEO-CARMINATA, 2s. 6d.

POTHOS ARGENTEUS, 7s. 6d. and 10s. 6d.

ARGYREUS, 2s. 6d. and 3s. 6d.

AUREUS, 3s. 6d. and 5s.

CELATOCALUS, 2s. 6d., 3s. 6d. and 5s.

FLEXUOSUS, 7s. 6d. and 10s. 6d.

MACROPHYLLUS, 3s. 6d.

NITENS, 5s. and 7s. 6d.

PSIDIUM CATTLEYANUM (The Guava), 3s. 6d. & 5s.

- PUYA MAIDIFOLIA**, 5s.
SULPHUREA, 7s. 6d.
UNDULATA, *vide* *Pitcairnia Altensteinii*.
RAVENALA GULANENSIS.
REIDIA GLAUDESCENS, 2s. 6d. and 3s. 6d.
ROGEIRA CORDATA (AMGNA), 3s. 6d.
GRATISSIMA, *vide* page 25.
RONDELETIA SPECIOSA MAJOR, 3s. 6d.
RUELLIA ACUTANGULA, 5s.
MAORANTHA, 2s. 6d. and 3s. 6d.
ROSEA, 2s. 6d. and 3s. 6d.
SACCHARUM OFFICINARUM, "Sugar Cane," 5s.
SAINTPAULIA IONANTHA, 2s. 6d.
SANCHEZIA NOBILIS GLAUCOPHYLLA, 3s. 6d.
SANSEVIERA ZEYLANICA, 3s. 6d.
SCHISMATOGLOTTIS DECORA, 5s.
LATIFOLIA, 5s.
LONGISPATHA, 5s.
SIAMENSIS, 10s. 6d.
VARIEGATA, 3s. 6d.
SCHUBERTIA GRAVEOLENS, 3s. 6d. and 5s.
SCINDAPSUS ARGYREUS, 2s. 6d.
SMILAX ARGYREIA, 3s. 6d.
DISCOLOR, 7s. 6d.
ORNATA (MACROPHYLLA MACULATA), 3s. 6d.
SHUTTLEWORTHII, 7s. 6d.
SOLANDRA GRANDIFLORA, 3s. 6d.
SOLANUM WENDLANDII, bears magnificent terminal heads of large bluish violet flowers with yellow anthers; very handsome and striking, 3s. 6d. and 5s.
SPATHOPHYLLUM PICTUM, 5s.
SPATHODEA CAMPANULATA, 7s. 6d.
SPHÆROGYNE LATIFOLIA, 3s. 6d.
SPHÆROSTEMA MARMORATUM, 3s. 6d. and 5s.
STADMANNIA AMABILIS, 10s. 6d.
STAPELIA GIGANTEA.
STENANDRIUM LINDENI, 10s. 6d.
TENOSPERMATIUM WALLISI, 5s.
STEPHANOTIS FLORIBUNDA, "Elvaston" variety, 3s. 6d. and 5s.
STERCULIA DISCOLOR, 5s. and 7s. 6d.
STEUDNERA DISCOLOR, 10s. 6d.
STRELITZIA AUGUSTA, 15s.
REGINÆ, 5s. and 7s. 6d.
STREPTOCARPUS WENDLANDII, 1s. 6d., 2s. 6d. and 3s. 6d.
STROBILANTHUS DYERIANUS, 1s. 6d.
SYNGONIUM ALBO-LINEATUM, 3s. 6d.
TABERNÆMONTANA OAMASSA, 3s. 6d.
CORONABIA FLORE PLENO, 3s. 6d.
TACCA ARTOCARPIFOLIA, 10s. 6d.
TACSONIA BUCHANANI (VITIFOLIA), 3s. 6d. and 5s.
TAPEINOTIS CAROLINÆ MAJOR, 5s.
THUNBERGIA AFFINIS, 3s. 6d. and 5s.
GRANDIFLORA, 3s. 6d.
HARRISII (LAURIFOLIA), 2s. 6d. and 3s. 6d.
THYRSACANTHUS RUTILANS, 2s. 6d. and 3s. 6d.
TILLANDSIA ACAULIS ZEBRINA, *vide* *Cryptanthus*.
ACAULIS ZEBRINA AUREA, *vide* *Cryptanthus*.
BEUCKERII, *vide* *Cryptanthus*.
BIVITTATA, *vide* *Cryptanthus*.
LINDENTANA VERA, 10s. 6d.
TOXICOPHLEA (ACOCANTHERA) **SPECTABILIS**, 3/6.
THUNBERGII, 5s.
TRADESCANTIA DECORA, 5s.
ELONGATA, 10s. 6d.
REGINÆ, 3s. 6d.
See also *Cyanotis*.
TRIPLARIS SUBINAMENSIS, 7s. 6d.
TYDEA, *vide* page 31.
URCEOCHARIS CLIBRANI, 5s. and 7s. 6d.
URCEOLINA AUREA, 2s. 6d. and 3s. 6d.
UROSKINNERA SPECTABILIS, 2s. 6d. and 3s. 6d.
UTRICULARIA MONTANA, 7s. 6d. and 10s. 6d.
VANILLA AROMATICA, 3s. 6d. and 5s.
PLANIFOLIA, 5s. and 7s. 6d.
VINCA ALBA, 2s. 6d. and 3s. 6d.
ALBA OCULATA, 2s. 6d. and 3s. 6d.
VRIESIA BRACHYSTACHYA, 3s. 6d. and 5s.
FALKENBERGII, 21s.
SPLENDENS (SPECIOSA), 3s. 6d. and 5s.

VRIESIA PURPURASCENS.

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. Introduced from Brazil. 15s. and 21s.

- XYLOPHYLLA ANOUSTIFOLIA**, 5s.
ELONGATA, 5s.
INTERMEDIA, 5s.
ZINGIBER CYLINDRICUM, 3s. 6d.

- ZINGIBER D'ARCEYI**, 3s. 6d.
OFFICINALE (*Ginger*), 2s. 6d.
ZERUMBET, 3s. 6d.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

- ALLAMANDAS**, of sorts
ARISTOLOCHIA ELEGANS
 — of sorts
BIGNONIA CHAMBERLAYNII
 — of sorts
BOUGAINVILLEA GLABRA
 — of sorts
CISSUS DISCOLOR
**CLERODENDRON BALFOUR-
 IANUM**
 — of sorts
COMBRETUMS, of sorts
DIOSCOREA ILLUSTRATA
 — SPECIOSA
 — of sorts

- DIPLADENIA**, of sorts
ECHITES
FICUS BARBATA
 — RADICANS
 — of sorts
GLORIOSA SUPERBA
HIBISCUS, of sorts
HOYA CARNOSA
 — of sorts
IPOMÆA HORSFALLII
 — TERNATA
 — of sorts
JASMINUM GRACILLIMUM
 — NITIDUM
 — of sorts

- MARCGRAVIA PARADOXA**
ODONTODENIA SPECIOSA
PASSIFLORA KERMESINA
 — PRINCEPS
 — QUADRANGULARIS VARIEGATA
 — of sorts
POTHOS FLEXUOSUS
 — of sorts
SMILAX DISCOLOR
 — of sorts
SPATHODEA CAMPANULATA
STEPHANOTIS FLORIBUNDA
THUNBERGIIAS, of sorts
TACSONIA BUCHANANI
VANILLA AROMATICA

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABUTILONS, of sorts, 1s. 6d.
ACACIA, of sorts, 2s. 6d. and 3s. 6d.
ADENANDRA FRAGRANS, 2s. 6d. and 3s. 6d.

AGAPANTHUS UMBELLATUM, 1s. and 1s. 6d.
UMBELLATUM ALBUM, 1s. and 1s. 6d.
 — **GLOBOSUM**, *vide* page 3.

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10s. 6d.

ALBERTA MAGNA, 10s. 6d.
ALOE FEROX, 3s. 6d. and 5s.
AMARYLLIS, *vide* page 7.
AMORPHOPHALLUS (**PROTEINOPHALLUS**)
RIVIERI, 1s. 6d. and 2s. 6d.
ANTHERICUM VARIEGATUM, *vide* Phalangium
 argenteo-lineare.
AOTUS GRACILLIMA, 2s. 6d. and 3s. 6d.

APHELEXIS HUMILIS, 2s. 6d. and 3s. 6d.
MACRANTHA PURPUREA, 2s. 6d. and 3s. 6d.
 — **ROSEA**, 2s. 6d. and 3s. 6d.
RUPESTRIS GRANDIFLORA, 2s. 6d. and 3s. 6d.
ARALIA JAPONICA (**SIEBOLDII**), *vide* Fatsia japonica.
ARAUCARIA BIDWILLII, the "Bunya Bunya"
 Tree of Australia. 2s. 6d., 3s. 6d. and
 5s. Specimen plants, 21s. and 31s. 6d.
 COOKII.

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3s. 6d., 5s. and 7s. 6d.
 Specimen plants, 21s. and 31s. 6d.

ARAUJA CERICIFERA (**PHYSIANTHUS ALBENS**), 2s. 6d.
ARUINA GRANDIFLORA, 7s. 6d.
ASPARAGUS DECUMBENS (**DEFLEXUS**), 3s. 6d.
 and 5s.
PLUMOSUS, 3s. 6d. and 5s.

ASPARAGUS PLUMOSUS NANUS, 2s. 6d., 3s. 6d. & 5s.
SPRENGERI, 2s. 6d. and 3s. 6d.
TENUISSIMUS, 2s. 6d. and 3s. 6d.
ASPIDISTRA LURIDA, 3s. 6d., 5s. and 7s. 6d.
LURIDA VARIEGATA, 5s., 7s. 6d. and 10s. 6d.

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well-selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18s., 30s., and 42s. per dozen.

New varieties, 5s., 7s. 6d. and 10s. 6d. each.

BEGONIA, *vide* Index.
BERBERIDOPSIS CORALLINA, 3s. 6d.
BIGNONIA (**TECOMA**) **CAPENSIS**, 2s. 6d.
CAPREOLATA, 2s. 6d.
CHEERERE, 2s. 6d. and 3s. 6d.
GRANDIFLORA, 2s. 6d. and 3s. 6d.
JASMINOIDES, 2s. 6d.
SPECIOSA, 3s. 6d.
TWEEDIANA, 3s. 6d.
VENUSTA, 3s. 6d. and 5s.
vide also page 9.
BILLARDIERA LONGIFLORA, 2s. 6d.
BLANDFORDIA FLAMMEA, 7s. 6d.
NOBILIS, 5s. and 7s. 6d.
BORONIA DRUMMONDII, 2s. 6d. and 3s. 6d.
ELATION, 2s. 6d.

BORONIA HETEROPHYLLA, 3s. 6d.
MEGASTIGMA, 2s. 6d. and 3s. 6d.
BOUVARDIAS, of sorts, 18s., 24s. and 30s. per
 dozen.
BOWIEA VOLUBILIS, 3s. 6d.
BOWKERIA TRIPIHYLLA, 3s. 6d. and 5s.
BREDIA HIRSUTA, 7s. 6d.
BRUGMANSIA (**DATURA**) **ARBOREA**, 3s. 6d.
KNIGHTII (flore pleno), 3s. 6d.
SANGUINEA, 3s. 6d. and 5s.
SUAVEOLENS, 3s. 6d.
CALADIUM, *vide* Index.
CALLA ETHIOPICA, *vide* Richardia africana.
ETHIOPICA, **LITTLE GEM**, *vide* Richardia.
ELLIOTIANA, *vide* Richardia.
CALODENDRON CAPENSE (Cape Chestnut), 5s.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL at 30s. and 42s. per dozen.
New varieties, 5s., 7s. 6d. and 10s. 6d.

CAMPHORA OFFICINALIS, 5s.

CARNATIONS, MALMAISON, of sorts, 1s. 6d. to 5s.

CARNATIONS, TREE, of sorts,
18s. and 30s. per dozen.

CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes. Selections from the best kinds raised by M. Crozy and others. 9s., 12s., 18s. and 30s. per dozen.

CAREX JAPONICA VARIEGATA, 1s.

CAVENDISHIA SPECTABILIS, 10s. 6d.

CEREUS SPECIOSISSIMUS, 2s. 6d. and 3s. 6d.

CESTRUM (HABROTHAMNUS) AURANTIACUM, 2s. 6d. and 3s. 6d.

See *Habrothamnus*, page 21.

CHOROZEMA CORDATUM SPLENDENS, 2s. 6d. and 3s. 6d.

LAWRENCEANUM, 2s. 6d. and 3s. 6d.

LOWII, 3s. 6d.

VARIVM CHANDLERI, 2s. 6d. and 3s. 6d.

CISSUS (VITIS) ANTARCTICA, 2s. 6d. and 3s. 6d.
RHOMBICA, 3s. 6d.

CITRUS JAPONICA (Otaheite Orange), 3s. 6d. and 5s.

CLEMATIS INDIVISA, 2s. 6d. and 3s. 6d.

INDIVISA LOBATA, 2s. 6d. and 3s. 6d.

CLIANTHUS PUNICEUS MAGNIFICUS, 2s. 6d. and 3s. 6d.

CLIVIA NOBILIS, 5s.

See *Imantophyllum*, page 22.

COBÆA SCANDENS VARIEGATA, 2s. 6d. and 3s. 6d.

COLEUS.

Choice selections can be made from all the best and newest sorts of these useful and highly decorative plants; the various colours and shades being exceedingly bright and attractive. 9s., 12s., 18s. and 24s. per dozen, according to the varieties.

CORREAS, of sorts, 2s. 6d. and 3s. 6d.

CRINUM MOOREI (MACOWANII), 2s. 6d., 3s. 6d. to 7s. 6d.

MOOREI VARIEGATUM, *vide* page 20.

CRINUM POWELLII, 2s. 6d., 3s. 6d. to 7s. 6d.

POWELLII ROSEUM, 7s. 6d. and 10s. 6d.

CROWEA STRICTA, 2s. 6d. and 3s. 6d.

CYCADS, *vide* pages 34 to 36.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18s., 30s. and 42s. per dozen.

CYCLAMEN PERSICUM ALBUM, 2s. 6d. and 3s. 6d.

PERSICUM RUBRUM, 2s. 6d. and 3s. 6d.

— **GRANDIFLORUM**, 3s. 6d. and 5s.

— of various choice sorts, 3s. 6d. and 5s.

CYRTANTHUS ANGUSTIFOLIUM, red, 5s.

INTERMEDIUM, 3s. 6d.

MACKENII, white, 2s. 6d.

MACOWANII, 3s. 6d.

CYRTANTHUS FLAMBEAU.

A pretty hybrid variety of these charming free-flowering greenhouse bulbous plants. The flowers, which are borne in umbels on erect scapes, are of a bright carmine red, the segments being round and full and of good shape. 3s. 6d.

CYTISUS RACEMOSUS, 1s. 6d.

RACEMOSUS EVERESTIANUS, 2s. 6d. and 3s. 6d.

DAPHNE INDICA RUBRA, 2s. 6d. and 3s. 6d.

DASYLIRION LONGIFOLIUM, 5s.

DATURA, *vide* *Brugmansia*.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3s. 6d. and 5s.

DIANELLA INTERMEDIA, 5s.

| **DIANELLA TASMANICA**, 10s. 6d.



CRINUM MOOREI VARIEGATUM.

CRINUM MOOREI VARIEGATUM.

A beautifully variegated variety of this free-flowering hardy greenhouse bulbous plant, the leaves being ornamented with longitudinal stripes of creamy yellow of varying width, making it a most attractive and desirable addition to decorative plants for the greenhouse and conservatory. Similar to the typical species in habit, it freely produces on erect scapes, large and handsome white flowers, faintly tinged with blush. 10s. 6d.

DIANELLA TASMANICA VARIEGATA.

A very striking and desirable variegated greenhouse plant introduced from Tasmania. The leaves are handsomely striated with creamy yellow, forming a very effective variegation. The pale blue flowers are produced on a loose, many-branched panicle, and are followed in due course by large and handsome bright blue berries. These hang on hair-like pedicels, and for many weeks form a highly ornamental and conspicuous adornment to the conservatory. 21s.

DORYANTHES GUILFOYLEI.| **DORYANTHES PALMERI**, 3s. 6d. and 5s.**DIPLARRHENA MOREÆ.**

An Iridaceous greenhouse plant allied to *Libertia*, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10s. 6d.

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3s. 6d. to 10s. 6d.; fine plants, 15s., 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10s. 6d., 15s. and 21s.

DRACOPHYLLUM GRACILE, 2s. 6d. and 3s. 6d.**EPACRIS**, of sorts, 18s., 30s. and 42s. per dozen.**ERICAS**, of sorts, 18s., 30s. and 42s. per dozen.**ERIOSTEMON BUXIFOLIUS**, 2s. 6d. and 3s. 6d.**INTERMEDIUS**, 2s. 6d. and 3s. 6d.**PULCHELLUS**, 2s. 6d. and 3s. 6d.**ERIOBOTRYA JAPONICA (LOQUAT)**, 7s. 6d.**ERYTHRINA COMPACTA**, 3s. 6d.**CRISTA-GALLI**, 1s. 6d.**EUCALYPTUS CITRINODORA**, 3s. 6d.**GLOBULUS (Blue Gum)**, 3s. 6d.**EUGENIA Ugni**, 1s. 6d. and 2s. 6d.*Vide also page 13.***EURYCLES**, *vide page 13.***EUTAXIA FLORIBUNDA**, 2s. 6d. and 3s. 6d.**FATSIA (ARALIA) JAPONICA**, 1s. and 1s. 6d.**(ARALIA) JAPONICA VARIEGATA**, 3s. 6d. and 5s.**FERNS**, *vide page 37.***FICUS AUSTRALIS**, 3s. 6d.**MACROPHYLLA**, 5s.**MINIMA**, 1s. 6d. and 2s. 6d.**STIPULATA (REPENS)**, 1s. 6d. and 2s. 6d.**FUCHSIAS**, *vide pages 4 and 46.***GENETYLIS (HEDAROMA) FUCHSIODES**, 3s. 6d. and 5s.**TULIPIFERA**, 3s. 6d. and 5s.**GONOLOBUS CUNDURANGO**, 10s. 6d.**GREVILLEA RODUSTA**, 1s. 6d. and 2s. 6d.**HABROTHAMNUS (CESTRUM) AURANTIACUS**, 2s. 6d. and 3s. 6d.**ELEGANS**, 2s. 6d. and 3s. 6d.**FASCICULATUS**, 2s. 6d. and 3s. 6d.**NEWELLI**, 2s. 6d. and 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

HÆMANTHUS ALBIFLOS, 2s. 6d. and 3s. 6d.**HÆMANTHUS CANDIDUM.**

A most beautiful white-flowered species introduced from the Transvaal. It belongs to the distichous-leaved group, and produces its handsome spikes of flowers from the side of the bulb. The scape, which is about 9 inches long, carries a large dense head of pure white flowers with golden yellow anthers borne on the tips of much exerted filaments. 21s.

HÆMANTHUS OAROTATUM, 2s. 6d. and 3s. 6d.**COCCINEUM**, fine heads of scarlet flowers, 2s. 6d. and 3s. 6d.**TIGRINUM**, 2s. 6d.**HARDENBERGIA MONOPHYLLA**, 2s. 6d.**MONOPHYLLA VARIEGATA**, 3s. 6d.**HEDYCHIUM GARDNERIANUM**, 2s. 6d. and 3s. 6d.**HIBISCUS**, *see also pages 14 and 28.***CALYCINUS (CHRYSANTHUS)**, 5s.**PEDUNCULATUS**, 5s.**HOYA**, *vide page 14.***HUMEA ELEGANS**, 2s. 6d. and 3s. 6d.

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 21s.

IMANTOPHYLLUM CYRTANTHIFLORUM, 5s.
CYRTANTHIFLORUM CHLORACEUM, 10s. 6d.
— FLAMMEUM, 31s. 6d.
— FULGENS, 15s.

IMANTOPHYLLUM CYRTANTHIFLORUM INSIGNE,
CYRTANTHIFLORUM OBLIQUUM, 31s. 6d. [31/6
— SUPERBUM, 21s.
GARDENI, 7s. 6d., 10s. 6d. and 15s.

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3s. 6d., 5s., 7s. 6d. and 10s. 6d.; fine plants, 15s. and 21s.

IMANTOPHYLLUM MINIATUM ALBO-LIMBATUM,
2 and 3 guineas.

MINIATUM AURANTIACUM, 31s. 6d.
— AURORA, 1 and 1½ guinea.
— BRILLIANT, 2 guineas.
— COMET, 2 guineas.
— DUKE OF YORK, 3 guineas.
— EMPEROR, 3 guineas.
— EMPRESS, 3 guineas.
— FLAMBEAU, 2 guineas.
— FLAMMEUM, 2 guineas.
— FLAVESCENS, 2 guineas.
— FORMOSUM, 15s. and 21s.
— FULGENS, 15s. and 21s.
— GRANDIFLORUM, 1½, 2 and 3 guineas.
— ILLUSTRÉ, 3 guineas.
— IMPERIALE, 3 guineas.
— INSIGNE, 1½, 2 and 3 guineas.
— LURIDUM, 15s.
— MADAME VAN HOUTTE, 10s. 6d.
— MAGNIFICUM, 3 guineas.
— METEOR.
— PREMIER.

IMANTOPHYLLUM MINIATUM, PRINCE OF
ORANGE, 1½, 2 and 3 guineas.

MINIATUM PRINCEPS, 1½, 2 and 3 guineas.
— PRINCESS.
— REGALE, 3 guineas.
— SPECIOSUM, 1½ guinea.
— SPLENDENS, 7s. 6d. and 10s. 6d.
— SUPERBUM, 5s. and 7s. 6d.
— VERSICOLOR.
— VIVID, 3 guineas.

INDIGOFERA DECORA, 5s.

IRIS FIMBRIATA, 1s. 6d.

ISMENE CALATHINA, 1s. 6d.

JASMINUM ANGULARE, 3s. 6d.

GRANDIFLORUM, 2s. 6d. and 3s. 6d.

ODORATISSIMUM, 2s. 6d. and 3s. 6d.

POITEAU, 2s. 6d. and 3s. 6d.

See also pages 4 and 15.

KENNEDYA MARRYATTE, 2s. 6d.

of sorts 3s. 6d. and 5s.

LACHENALIA, of sorts, 1s. to 3s. 6d.

LAGERSTRÆMIA INDICA, 2s. 6d. and 3s. 6d.

LANDOLPHIA, vide page 15.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat growing plant of free habit, 5s., 7s. 6d., 10s. 6d. and 15s.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 3s. 6d., 5s., 7s. 6d. and 10s. 6d.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10s. 6d. and 15s.

LAPAGERIA RUBRA (Nash Court variety), 21s.

LASIANDRA MACRANTHA, 2s. 6d. and 3s. 6d.

MACRANTHA FLORIBUNDA, 3s. 6d. and 5s.

LAURUS CAMPHORA, 3s. 6d.

CINNAMOMUM, vide page 15.

LILIUMS, of sorts. See Bulb Catalogue. 12s.,
18s., 30s. and 42s. per dozen.

LINUM TRIOTNUM, vide Reinwardtia.

LUCULIA ORATISSIMA, 5s. and 7s. 6d.

LYCORIS AUREA, 1s. 6d. and 2s. 6d.

MACADAMIA TERNIFOLIA, 10s. 6d.

MACKAYA BELLA, 3s. 6d. and 5s.

MACROZAMIA, vide Index.

MAGNOLIA FUSCATA, 3s. 6d. and 5s.

PUMILA, vide page 15.

MANDEVILLA SUAVEOLENS, 2s. 6d. and 3s. 6d.

MARICA NORTHIANA, 7s. 6d. and 10s. 6d.
MARSILEA MACROPUS, "NARDOO," 10s. 6d.
METROSIDEROS FLORIBUNDA, 2s. 6d.

MITRARIA COCCINEA, 2s. 6d. and 3s. 6d.
MUSA CAVENDISHII, *vide* page 16.
ZEBRINA, *vide* page 16.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immenso erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5s., 7s. 6d. and 10s. 6d.

MUTISIA DECURRENS, 3s. 6d.

MYRSIPHYLLUM ASPARAGIDES, 2s. 6d.
 and 3s. 6d.

NERINE CORUSOANS, 3s. 6d.

FOTHERGILLII, 2s. 6d. and 3s. 6d.

JAPONICA. This pretty species is known as the "Japanese Spider Lily," and produces handsome heads of bright reddish-crimson flowers, the protruding anthers being of unusual length. *Vide* illustration. 1s. each; 9s. per dozen.

ROSEA, 2s. 6d.

OPHIOPOGON JABURAN AUREG-VARIEGATUS, 2s. 6d. and 3s. 6d.

SPICATUS ARGENTEG-MARGINATUS, 2s. 6d.
 and 3s. 6d.

PALMS, of sorts, *vide* pages 34 to 36.

PASSIFLORA CÆRULEA, EYNSFORD GEM,
 2s. 6d.

CÆRULEA RACEMOSA, 2s. 6d.

IMPERATRICE EUGÉNIE, 2s. 6d. and
 3s. 6d.

LAWSONI, 3s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

See also page 16.

PELARGONIUM, *vide* pages 5 and 43.

PHALANGIUM ARGENTEO-LINEARE
 (ANTHERICUM VARIEGATUM), 2s. 6d.
 and 3s. 6d.

LINEARE ELEGANS, 5s.

PHILESIA BUXIFOLIA, 7s. 6d. and 10s. 6d.

PHYLLOCACTUS AURANTIACUS, 5s.

CRENATUS ALBUS, 5s.

FLAMMEUS, 5s.

FULGENS, 3s. 6d.

MAGNIFICUS, 5s.

PEACOCKII, 3s. 6d. and 5s.

RUBER, 3s. 6d.

SANGUINEUS, 5s.

VIGLACEUS, 3s. 6d.

VIVIOANS, 5s.

PHYSIANTHUS ALBENS, *vide* Arauja cericifera.

PIMELEA DEOUSSATA, 2s. 6d. and 3s. 6d.

HENDERSONI, 3s. 6d. and 5s.

NIEPPERGIANA, 3s. 6d. and 5s.

SPECTABILIS, 3s. 6d. and 5s.

PINCINETITIA TUBERCULATA, 21s.

PISTACIA TEREBINTHUS (Turpentine Tree),
 7s. 6d.

PITTOSPORUM RALPHSII, 5s.

PLUMBAGO CAPENSIS, 2s. 6d. and 3s. 6d.



NERINE JAPONICA.

PLUMBAGO CAPENSIS ALBA, 2s. 6d. and 3s. 6d.
See also page 16.

POLYGALA CORDIFOLIA, 3s. 6d.

DALMAISIANA, 2s. 6d. and 3s. 6d.

PRIMULA FLORIBUNDA, 2s. 6d.

PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus.

PUNICA GRANATUM (POMEGRANATE), **ALBA PLENA**,
 3s. 6d. and 5s.

GRANATUM RUBRA PLENA, 3s. 6d. and 5s.

REINWARDTIA TRIGYNA (LINUM TRIGYNUM),
 2s. 6d.

TETRAGYNE, 2s. 6d.

RHODODENDRONS, *vide* pages 4 and 26 to 28.

RHOPALA CORCOVADENSIS, 5s.

RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum.

RICHARDIA AFRICANA (*Calla aethiopica*), 1s.
 and 1s. 6d.

AFRICANA, LITTLE GEM, 6d. each, 5s. per doz.

— **CANDIDISSIMA**, 3s. 6d.

— **COMPACTA**, 3s. 6d.

— **GIGANTEA**, 5s.

HASTATA, 5s.



VALLOTA HYBRIDA.

An extremely handsome and showy new hybrid bulbous plant, the result of a cross between the well-known *Vallota purpurea* and *Gastronema sanguinea*. In character it is intermediate between the two parents both in foliage and flowers, the last-named being borne in umbels, and of an uniform bright orange vermillion colour. 10s. 6d.

RICHARDIA (CALLA) ELLIOTTIANA.

This magnificent yellow-flowered species should be in every collection; the spathes are of rich golden yellow, the leaves being ornamented with whitish maculations. 7s. 6d., 10s. 6d., 15s., 21s. and 31s. 6d.

RICHARDIA (CALLA) PENTLANDII.

Like the preceding, this beautiful species has rich golden-yellow flowers, similar in shape and size to *R. aethiopica*, with the addition of a black blotch quite at the base of the spadix. In this species the leaves are entirely green. 10s. 6d., 15s., 21s. and 31s. 6d.

RICHARDIA REHMANNII, 2s. 6d.

ROGEIRA GRATISSIMA, 3s. 6d. and 5s.

ROHDEA JAPONICA ARGENTEA, 15s.

RUSCUS ANDROGYNUS, 3s. 6d.

SALVIA SPLENDENS GRANDIFLORA, 1s. 6d. and 2s. 6d.

SANDERSONIA AURANTIACA, a tuberous-rooted climbing plant, bearing pretty bell-shaped orange coloured flowers, 3s. 6d.

SOLANUM JASMINOIDES, 2s. 6d.

WENDLANDII, *vide* page 17.

STRELITZIA REGINÆ, *vide* page 17.

STREPTOSOLEN (BROWALLIA) JAMESONI, 1s. 6d.

TACSONIA BUCHANANI, *vide* page 17.

ERIANTHA, 2s. 6d.

EXONIENSIS, 2s. 6d.

MOLLISSIMA, 2s. 6d.

PINNATISTIPULA, 2s. 6d.

SANGUINEA, *vide* T. Buchanan, page 17.

TOMENTOSA SPECIOSA, 2s. 6d. and 3s. 6d.

VAN VOLKEMI, 2s. 6d.

TACSONIA SMYTHEANA.

This handsome hybrid has been raised from *T. mollissima* and an unknown species. Flowers very distinct in colour, which is a peculiar shade of orange-scarlet. 3s. 6d.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3s. 6d., 5s. and 7s. 6d.

TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 3s. 6d.

TECOMA, *vide* Bignonia.

THEA ASSAMICA, 3s. 6d.

THEAS, of sorts, 3s. 6d. and 5s.

THUNBERGIA, *vide* page 17.

TRACHELOSPERMUM (RHYNCHOSPERMUM)

JASMINOIDES, 2s. 6d. and 3s. 6d.

(RHYNCHOSPERMUM) JASMINOIDES ALBO-

VARIEGATUM, 2s. 6d. and 3s. 6d.

TREMANDRA ERIOPHYLLA, 2s. 6d. and 3s. 6d.

VERTICILLATA, 2s. 6d. and 3s. 6d.

TROPEOLUM AZUREUM GRANDIFLORUM, 3s. 6d. and 5s.

TRICOLOR GRANDIFLORUM (JARRATTII), 1s. and 1s. 6d.

of sorts, 1s. 6d., 2s. 6d. and 3s. 6d.

TUBEROSES BEST DOUBLE

AFRICAN

AMERICAN

THE PEARL

These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5s. and 7s. 6d.

VALLOTA HYBRIDA, *vide* page 24.

PURPUREA, 2s. 6d.

VITIS HETEROPHYLLA HUMULIFOLIA, 2s. 6d.

HETEROPHYLLA VARIEGATA, 2s. 6d. and 3s. 6d.

WITSENIA CORYMBOSA, 3s. 6d.

YUCCA ALOIFOLIA VARIEGATA, 3s. 6d. and 5s.

FILAMENTOSA VARIEGATA, 5s. and 7s. 6d.

XYLOPHYLLA, *vide* page 17.

ZAMIA, *vide* Index.

ZEPHYRANTHES CARINATA, 12s. per dozen.

GREENHOUSE RHODODENDRONS.

For New Varieties, *vide* page 4.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 3s. 6d. and 5s.

EXONIENSE, trusses of ivory white flowers; buds flushed pink. 3s. 6d.

FRAGRANTISSIMUM PICTUM, handsome heads of deliciously scented white flowers, the side petals being coloured rose-pink on the lower halves, a tinge of the same colour being apparent at the apex of the upper petal. 10s. 6d.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3s. 6d. and 5s.

NIVALE, a beautiful hybrid in the *multiflorum* section, producing in the greatest profusion trusses of broadly expanded pure white flowers. 10s. 6d.

SMIRNOWII, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers of medium size. 10s. 6d.

UNGERNII, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10s. 6d.

The following are hybrids in the free-flowering *Javanico-jasminiflorum* group:—

ARIADNE, freely produces trusses of long tubular wax-like white flowers, the expanded segments being faintly tinged with blush. 10s. 6d.

ASTRÆA, handsome heads of blossom, the flowers of a beautiful lemon-yellow colour. 10s. 6d.

ATLAS, a very beautiful greenhouse hybrid, producing trusses of long tubular flowers of a delicate blush colour. 10s. 6d.

BELLONA, a fine free-flowering hybrid bearing large trusses of long tubed pure white flowers, the individual blossoms of perfect shape. 10s. 6d.

BRENDA, pure white flowers, the petals beautifully crisped and undulated. 10s. 6d.

CIRCE, fine trusses of large white flowers very delicately shaded with soft pink, the petals prettily crimped. 10s. 6d.

CLIO, large trusses of salmon-pink flowers shaded with rose. 10s. 6d.

CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10s. 6d.

DAPHNE, heads of lovely bright rosy pink flowers, the base of tube white; a very pleasing variety. 10s. 6d.

DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10s. 6d.

DIANA, an extremely free-flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10s. 6d.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7s. 6d. and 10s. 6d.

EGERIA, flowers large and of good shape, salmon-buff suffused or tinged with crimson. 10s. 6d.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 5s.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 7s. 6d. and 10s. 6d.

FORDII, *vide* page 4.

HERA, fine trusses of yellowish buff flowers shaded with salmon pink, the individual blooms being of large size and good shape. 15s.

IONE, a very charming variety with clear rose-coloured petals, the throat and tube being pure white. 10s. 6d.

IRENE, fine trusses of well-shaped flower of a rich coral-pink, a very pretty shade of colour. 10s. 6d.

ISIS, very free-flowering variety, producing good trusses of milk-white flowers suffused with rose. 10s. 6d.


JAVANICUM, a beautifully golden-yellow flowering species. 3s. 6d., 5s. and 7s. 6d.

JUNO, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10s. 6d.

LEDA, trusses of well-made flowers, petals full and round, blush shaded with pink, the throat cerise pink, in telling contrast to the petals. 10s. 6d.

MENTO, large trusses of very soft rosy salmon flowers suffused with pink. 10s. 6d.

METIS, large trusses of flowers of a soft shade of salmon pink suffused with rose, the margins of the petals prettily undulated. 10s. 6d.



RHODODENDRON, PINK BEAUTY.

RHODODENDRON, PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 3s. 6d. and 5s.

MYRA, this chaste and pretty hybrid produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10s. 6d.

ORION, this handsome hybrid produces large trusses of rich magenta-pink flowers, very bright and attractive. 10s. 6d.

PERA, flowers of fine shape, sepals bright cerise pink, tube French white, a pretty and cheerful looking colour. 15s.

PINK BEAUTY, see page 27.

PLATO, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10s. 6d.

PRIAM, very large creamy buff flowers, suffused and shaded with carmine pink. 10s. 6d.

PSYCHE, a lovely hybrid bearing trusses of very long-tubed pure white flowers, the rosy pink anthers in the centre forming a pleasing contrast with the snow-white petals. 10s. 6d.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 3s. 6d. and 5s.

SYLVIA, soft pink-coloured flowers, well made and borne in large trusses; tube nearly white. 10s. 6d.

THALIA, large lemon-buff flowers of good shape, throat shaded with rose. 10s. 6d.

URANIA, fine trusses of salmon-buff flowers shaded with pink, the segments prettily crimped. 10s. 6d.

ZAMPA, magnificent trusses of rich buff-yellow flowers; very handsome. 15s.

Choice Selections from the above and other Greenhouse kinds at 42s. and 63s. per dozen.

SELECT HARDY PLANTS.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. 18s. and 30s. per dozen. New varieties, 42s. per dozen.

CORNUS SIBIRICA SPATHI, a very handsome ornamental shrub, with beautifully variegated foliage. 3s. 6d.

CRINUM CAPENSE ALBUM, 1s.
CAPENSE ROSEUM, 1s.

HIBISCUS SYRIACUS.

Many handsome varieties of this handsome flowering shrub (which is also known as *Althæa frutex*) can be supplied at 18s. per dozen.

IRIS KÆMPFERI.

Many magnificent varieties of this handsome and attractive plant have been imported from Japan; indeed, scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris. Varying in colour from pure white to rich maroon-crimson, there are few flowers surpassing them in size and the brightness of their colouring. Some are pure white with delicate reticulations of lavender, others are beautifully maculated with rosy-purple on a light ground, while many beautiful shades of dark crimson, blue, purple, and violet will be found amongst them. They succeed admirably planted on the margin of a lake or pond, or in any situation where plenty of moisture can be given. *Vide illustration.* 2s. 6d. and 3s. 6d. each; choice varieties, 5s. and 7s. 6d. each. Mixed Seedlings, 7s. 6d. and 10s. 6d. per dozen.

LILIUMS.

From a large Collection, comprising all the best and most useful either for forcing, growing in pots or planting in beds and borders, Mr. W. B. can supply Selections at 12s., 18s., 30s. and 42s. per dozen. For detailed list of sorts, see Mr. W. B.'s Bulb or Seed Catalogues.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, and closely packed with spike-like greenish flowers. 1s. 6d., 2s. 6d. and 3s. 6d.



NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 12s., 18s., 24s., 30s. and 42s.

ACQUISITION, 31s. 6d.	BARAQUINII SUPERBUM, 3s. 6d. and 5s.	CANHANHEDE, 15s.	ERNST SCHMIDT, 5s.
ADRIAN, 21s.	BARBACENA, 10s. 6d.	CAPIBARIBE, 5s.	EUCHARIS, 3s. 6d.
AGRIPPINE DIMITRY, 3s. 6d.	BARON ADOLPHE DE ROTHSCHILD, 3/6 & 5/-	CAVALIER, 21s.	EURYDICE, 10s. 6d.
ALICE VAN GEERT, 3s. 6d.	BARONEZA DE OLIVEIRA CASTRO, 10s. 6d. & 15s.	C. E. DAHLE, 7s. 6d.	EUTERPE, 3s. 6d.
ANDROMAQUE, 3/6 & 5/-	BARONNE CLARA DE HIRSCH, 3s. 6d.	CHICORINHA, 7s. 6d.	FELIX PETIT, 5s.
ANNIBAL, 3s. 6d.	BELJA-FLOR, 3s. 6d. & 5s.	COIMBRA, 7s. 6d.	FERD. DE LESSEPS, 3s. 6d. and 5s.
ANTONIO, 21s.	BENJAMIN CONSTANT, 10s. 6d.	COMTE DE GERMANY, 3/6.	FLORIAN, 21s.
ANTONIO JOAQUIN, 5s. and 7s. 6d.	BENTO LEITE, 10s. 6d.	CONCORD, 5s.	FRUCTAL, 10s. 6d.
ARAPONGA, 21s.	BERNHARD WAGNER, 10s. 6d.	CONDOR, 21s.	GARNET, 21s.
ARARICA, 10s. 6d.	BILONTRA, 21s.	CONQUEROR, 21s.	GARTEN-DIRECTOR GIREAUD, 7s. 6d.
ARASSUAHY, 5s.	BOIELDIEU, 3s. 6d.	COYPEL, 3s. 6d.	GAZE DE PARIS, 3s. 6d.
ARGYRITES, 1s., 1s. 6d. and 2s. 6d.	R. S. WILLIAMS, 3/6 & 5/-	CRYSTAL, 10s. 6d.	GENERAL, 21s.
ARIADNE, 21s.	CACAPAVA, 5s.	DAMON, 15s.	GERARD DOW, 5s. and 7s. 6d.
ASSUNOUY, 2s. 6d. & 3s. 6d.	CAJUBI, 10s. 6d.	DELICATISSIMUM, 2/6 & 3/6	GLUCK, 3s. 6d.
AUORE BOREALE, 5s.	CANDIDUM, 2/6 & 3/6.	DCNA CARMEN MACEDO, 7s. 6d.	GUANABARA, 10s. 6d.
AYMORE, 15s.		DR. FELIPPE MEYER, 10/6	GUARAREMA, 3s. 6d. & 5s.
BACURY, 5s.		DR. L. WITTMACK, 10/6	GUARATINGUETA, 10s. 6d.
BARAO DE MAMORE, 3/6.		DUCHESSE DE MORTE-MART, 2s. 6d. & 3s. 6d.	

IBICURY, 10s. 6d.	MADAME FRITZ KÖCHLIN, 2s. 6d. and 3s. 6d.	MR. PIERPONT MOROAN, 3s. 6d. and 5s.	REINE DE DANEMARK, 2s. 6d. and 3s. 6d.
IBIS ROUGE, 3s. 6d. & 5s.	— GROULT, 3s. 6d.	MRS. F. SANDER, 10s. 6d.	REINE VICTORIA, 1/6 & 2/6
ICARUS, 21s.	— I. KÖCHLIN, 2s. 6d. and 3s. 6d.	MRS. HARRY VEITCH, 3s. 6d. and 5s.	RIO CLARO, 15s.
IGUATU, 5s. and 7s. 6d.	— J. R. BOX, 3s. 6d.	MRS. J. LAING, 5s. and 7s. 6d.	RIO DE JANEIRO, 10s. 6d.
IMPERATRICE EUGÉNIE, 2s. 6d.	— JULES MENOREAU, 3s. 6d.	MRS. LAING, 2s. 6d. and 3s. 6d.	RONADOR, 5s. and 7s. 6d.
INDEPENDENCIA, 7s. 6d.	— JULES PICOT, 3s. 6d.	MUCURIPE, 5s.	RONURA, 10s. 6d.
ISIS, 3s. 6d.	— LEMOINIER, 5s.	MUNDURUCU, 15s.	ROSE LAINO, 3s. 6d. & 5s.
JOAQUIM NABUCO, 15s.	— MARCHAND, 3s. 6d. and 5s.	NAPOLEON III., 2s. 6d. and 3s. 6d.	ROUILLARD, 3s. 6d.
JOHN LAINO, 3s. 6d.	— MITJANA, 3s. 6d. and 5s.	ORACLE, 21s.	SANCHONIATHON, 2s. 6d.
JOINVILLE, 7s. 6d.	— SCHMITT, 3s. 6d. and 5s.	ORPHÉE, 3s. 6d. and 5s.	SENATOR, 21s.
JULIUS, 21s.	MANACAPURU, 21s.	OURO FINO, 5s. & 7s. 6d.	SILVER CLOUD, 3s. 6d.
JUMNA, 31s. 6d.	MARQUESS OF CAMDEN, 3s. 6d. and 5s.	PASHA, 15s.	SIR E. SMITH, 15/- & 21/-
LA NACRE, 3/6 and 5/-.	MARQUIS F. D'ALBERTAS, 3s. 6d. and 5s.	PERIPERI, 5s. & 7s. 6d.	SIR HENRY IRVING, 3/6.
LA PERLE DU BRÉSIL, 2s. 6d. and 3s. 6d.	MARTHA LAForge, 3s. 6d. and 5s.	PERIQUITO, 5s.	SIR JULIAN GOLDSMID, 5s.
L'AUTOMNE, 3s. 6d. & 5s.	MASACCIO, 7s. 6d.	PHILIPPE SCHULDT, 3/6.	SIR W. BROADBENT, 3/6.
L'INSOLITE, 2/6 & 3/6.	MAX KOLB, 1s. 6d. and 2s. 6d.	PIANCO, 10s. 6d.	SOFIA, 3s. 6d.
LE CARAVAGE, 7/6 & 10/6	MERCÈS D'ARCENT, 7/6	PINTADO, 10s. 6d.	SOUVENIR DE LILLE, 3/6.
LEOPOLD ROBERT, 2s. 6d. and 3s. 6d.	MEYERBEER, 1/6 & 2/6.	PRINCE OF WALES, 3/6.	— DE PARA, 1s. 6d. & 2s. 6d.
LEPESCHKINEI, 3s. 6d.	MITHRIATE, 3s. 6d.	PRINCESS OF WALES, 3/6 and 5/-	SPONTINI, 3s. 6d.
LINHARIS, 10s. 6d.	MONSIEUR J. LINDEN, 3s. 6d.	PRINCESS ROYAL, 5s.	TRIOMPHE DE COMTE, 5/-
LORN DERBY, 3s. 6d.	MOSSORA, 10s. 6d.	PROSPERINE, 3s. 6d.	TRIUMPHO, 5s.
LOUISE DUPLESSIS, 2s. 6d.	MOZART, 3s. 6d.	PUVIS DE CHAVANNES, 10/6	TYMBIRA, 10s. 6d.
LUTEUM AURATUM, 7s. 6d.		PUTUMAYO, 21s.	VAN DYCK, 3s. 6d.
LYMINGTON, 2s. 6d. and 3s. 6d.		QUADRICOLOR, 2/6 & 3/6	VERONA, 15s.
MADAME ALFRED BLEU, 1s. 6d. and 2s. 6d.		RAGINE, 10s. 6d.	VILLE DE MULHOUSE, 3/6.
— D'HALLORY, 3s. 6d. and 5s.		RAOUL PUONO, 3/6 & 5/-.	VIRGINALE, 3s. 6d.
		RAYMOND LEMOINIER, 2s. 6d. and 3s. 6d.	WEBER, 5s. and 7s. 6d.
			WIOHTII, 2s. 6d.
			WILLIAM MARSHALL, 5s. and 7s. 6d.



ACHIMENES.

ACHIMENES.

These charming free-flowering plants are very suitable for growing in hanging baskets and pots for conservatory decoration, the plentiful manner in which their blossoms are produced and their charming colours making them most desirable. Selections made at 9s., 12s. and 18s. per dozen. When dormant, rhizomes can be supplied as follows:—

12 named varieties, 3 bulbs each sort, 36 bulbs.

Mr. W. B.'s selection. 6s.

6 named varieties, 3 bulbs each sort, 18 bulbs.

Mr. W. B.'s selection. 3s. 6d.

Choice sorts, 6s., 9s. and 12s. per dozen.

EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. In variety, 1s. and 1s. 6d. each.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 24s. and 30s. per dozen, according to sorts.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 12s., 18s. and 24s. per dozen, according to sorts.

CHOICE GLOXINIAS.

The handsome and showy flowers of these beautiful bulbous plants render them of the greatest value for the decoration of stoves and conservatories. Of easy culture, they can, with judicious treatment, be had in bloom at almost any season of the year; their attractive flowers, being of large and good shape, are admirably adapted for cutting. The colours are most varied, every hue being pure and distinct, while some of the kinds are spotted and maculated in a most pleasing manner.

Choice Selections made by Mr. W. B. from General Collection, at 18s., 24s. and 30s. per dozen, according to sorts.

When dormant, good blooming tubers, unnamed, of various colours, raised from handsome varieties, can be supplied at 4s., 6s. and 9s. per dozen; 30s., 40s. and 50s. per 100.

BEGONIAS.

HANDSOME FLOWERED TUBEROUS-ROOTED SECTION.

The immense size to which the flowers of this popular race of plants have now attained considerably enhances their value for decorative and bedding purposes. Of nearly every shade of colour, from deepest crimson-scarlet to white, the blooms are produced in the utmost profusion, thus rendering them extremely showy and attractive.

SINGLE-FLOWERED.

Selections of good Single-flowering named varieties can be made by Mr. W. B. at 12s., 18s. and 24s. per dozen.

When dormant, Single-flowered unnamed Seedlings of various colours can be supplied at 4s., 6s. and 9s. per dozen; 25s., 35s. and 50s. per 100.

DOUBLE FLOWERED.

Named varieties with double flowers, at 30s., 42s. and 60s. per dozen.

When dormant, Double-flowered unnamed Seedlings of various colours can be supplied at 6s., 9s., 12s. and 18s. per dozen; 45s., 60s. and 75s. per 100.

BEGONIAS—Ornamental Foliage.

In handsome named varieties, 18s., 30s., and 42s. per dozen.

CHRYSANthemUMS.

All the best and newest varieties can be supplied at current prices.

Good Selections can be made by Mr. W. B. from all sections of this popular flower at 6d. each, 5s. per dozen, or 40s. per 100.

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

African Mangosteen	Garcinia Livingstonei	Africa	10/6
African Rubber	Landolphia Watsoniana	Africa	7/6
African Wino Palm	Raphia vinifera	W. Coast of Africa	21/-
Allspice	Eugenia Pimenta	W. Indies	5/-
Angostura Bitters	Triphasia trifoliata	China	7/6
Annatto Dye Plant	Bixa Orellana	Tropical America	5/-
Arrowroot	Maranta arundinacea	S. America	7/6
Australian Banyan	Ficus macrophylla	Australia	5/-
Balsam of Peru	Myroxylon Pereira	Peru	7/6
Banyan Tree	Ficus indica	E. Indies	3/6
Bark of Commerce	Cinchona officinalis	Tropical America	7/6
Bengal Quince	Ægle Marmelos	E. Indies	21/-
Black Pepper	Piper nigrum	E. Indies	3/6
Brazil Nut	Bertholletia excelsa	Brazil	21/-
Cabbage Palm	Euterpe edulis	Brazil	5/-
Calabash Tree	Crescentia Cujete	S. America	10/6
Camphor	Camphora officinalis	Japan	5/-
Capo Chestnut	Calodendron capense	Cape Colony	5/-
Cardamon	Amomum Cardamomum	E. Indies	3/6
Carnauba Palm	Copernicia cerifera	Brazil	31/6
Cashew Nut	Anacardium occidentale	W. Indies	10/6
Cassia	Cinnamomum Cassia	E. Indies	10/6
Cherimoyer	Anona Cherimolia	Peru	5/-
Chinese Plantain Tree	Musa Cavendishii	China	10/6
Cinnamon	Cinnamomum Zeylanicum	Ceylon	7/6
Coca	Erythroxylon Coca	Peru	15/-
Coffee, Arabian	Coffea arabica	Yemen	3/6
Coffee, Liberian	Coffea liberica	Liberia	3/6
Contrayerva Root	Dorstenia Contrayerva	S. America	7/6
Cuba Bast	Paritium elatum	W. Indies	7/6
Cubeb Pepper	Piper Cubeba	Java	5/-
Cundurango	Gonolobus Cundurango	S. America	10/6
Date	Phoenix dactylifera	Levant	5/-
Edible Eugenia	Eugenia edulis	Brazil	15/-
Edible-fruited Passion Flower	Passiflora edulis	Brazil	3/6
Edible Vangueria	Vangueria edulis	Madagascar	15/-
Fiddle Wood	Citharexylon quadrangulare	Jamaica	5/-
Flamo Tree	Brachychiton acerifolium	N. S. Wales	5/-
Fustick Wood	Chlorophora (Maclura) tinctoria	W. Indies	15/-
Gambier Tannin Tree	Uncaria Gambier	E. Indies	21/-
Gamboge	Xanthochymus pictorius	E. Indies	21/-
Gigantic Granadilla	Passiflora macrocarpa	Rio Negro	3/6

OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinale	E. Indies	2/6
Granadilla	Passiflora quadrangularis	W. Indies	3/6
Guarana Tea Plant	Paullinia sorbilis	Brazil	10/6
Guava	Psidium Cattleianum	Brazil	3/6
Indian Cedar	Cedrela odorata	W. Indies	7/6
Ipecacuanha	Cephaelis Ipecacuanha	Brazil	21/-
Jack Fruit	Artocarpus integrifolius	W. Indies	10/6
Jamaica Quassia	Picroena excelsa	Jamaica	10/6
Japanese Pepper	Piper Futokadsura	Japan	3/6
Kola Nut	Cola acuminata	Niger	10/6
Lagos Rubber	Kickxia africana	W. Africa	21/-
Ledger's Bark	Cinchona Ledgeriana	S. America	10/6
Lemon Grass	Andropogon citratus	India	3/6 & 5/-
Litchi	Nephelium Litchi	China	31/6
Logwood	Hæmatoxylon Campechianum ..	Central America ..	10/6
Loquat	Eriobótia japonica	Japan	7/6
Malabar Silk Cotton Tree	Bombax malabaricum	Malabar	7/6
Malay Apple	Eugenia malaccensis	Malacca	21/-
Mangosteen	Garcinia Mangostana	Java	63/-
Matico	Artánthe elongata	Peru	7/6
Mustard Tree of Scripture	Salvadóra persica	Persia	21/-
Nardoo	Marsilea macrópus	Australia	10/6
Natal Plum	Arduina grandiflora	Natal	7/6
Netted-leaved Custard Apple	Anóna reticulata	S. America	15/-
Palissander Wood	Machærium firmum	S. America	15/-
Para Rubber	Hévea brasiliensis	Brazil	31/6
Patchouli Scent Plant	Pogostémon Patchouli	E. Indies	3/6
Pissava Palm of Madagascar	Dictyosperma fibrosum	Madagascar	31/6
Queensland Nut	Macadámia ternifolia	Queensland	10/6
Queensland Plum	Davidsonia pruriens	Queensland	21/-
Rhubarb	Rhéum officinale	China	2/6
Rice Paper Plant	Aralia papyrifera	China	3/6
Rose Apple	Eugenia Jambos	India	10/6
Sacred Indian Fig	Ficus religiosa	India	7/6
Sarsaparilla	Smilax Sarsaparilla	N. America	10/6
Satin Wood	Chloróxylon Swietenia	E. Indies	21/-
Snake Wood	Cecrópia palmata	S. America	7/6
Soap Berry	Sapiindus Saponaria	W. Indies	21/-
Sour Sop	Anóna muricata	W. Indies	15/-
Sugar Cane	Saccharum officinarum	India	5/-
Sugar Caue, Elephant	Saccharum officinarum gigauteum ..	India	31/6
Sweet Sop	Anóna squamosa	S. America	10/6
Sycamore Tree of Scripture	Ficus Sycomorus	Egypt	7/6
Tamarind Tree	Tamarindus indica	E. Indies	5/-
Tea, Assam	Théa assamica	Assam	3/6
Tonga	Epipremnum mirabile	South Sea Islands ..	3/6
Tonquin Bean	Dipteryx odorata	Guiana	21/-
Trincomalee Wood	Berrya Ammonilla	Ceylon	5/-
Turpentine Tree	Pistácia Terebinthus	S. Europe	7/6
Upas Tree	Antiaris toxicaria	Java	21/-
Vanilla	Vanilla aromática	S. America	7/6
Violet Sugar Cane	Saccharum violaceum	India	15/-
Zerumbet Ginger	Zingiber Zerumbet	E. Indies	3/6

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9, and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

Those marked with an asterisk () are kinds that will succeed in a Greenhouse.*

ACANTHORHIZA ACULEATA (CHAMÆROPS STAURACANTHA), 10s. 6d. and 15s.

***ARCHONTOPHÆNIX ALEXANDRÆ** (PTYCHOSPERMA ALEXANDRÆ), 2s. 6d., 3s. 6d. and 5s.

***CUNNINGHAMIANA** (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA), a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm. In all sizes, 2s. 6d., 3s. 6d., 5s. and 7s. 6d. to 1, 1½ and 2 guineas.

***ARECA BAUERI**, *vide* RHOPALOSTYLIS BAUERI. LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS. MADAGASCARIENSIS, *vide* DYPsis MADAGASQARIENSIS.

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA.

ASTROCARYUM MALYBO (A. ARGENTEUM), 1½ and 2 guineas.

BOWENIA SPECTABILIS, 10s. 6d.

CALAMUS AUSTRALIS, 31s. 6d. and 42s.

(DEMONOROPS) FISSUS, 5s. and 7s. 6d.

MICRANTHUS, 7s. 6d. and 10s. 6d.

ROXBURGHII, 10s. 6d.

SIKKIMENSIS, 7s. 6d. and 10s. 6d.

CARLUDOVICA DRUDEI, 10s. 6d. and 15s.

PLUMIERI, 10s. 6d.

CARYOTA SIAMENSIS, 31s. 6d.

CATAKIDZAMIA HOPEI.

DENISONI, *vide* LEPIDZAMIA.

CERATZAMIA FUSCO-VIRIDIS, 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS.

***CHAMÆDOREA POLITA**, 10s. 6d.

***CHAMÆROPS ELEGANS**, 3s. 6d. and 5s.

* EXCELSA, *vide* TRACHYCARPUS EXCELSUS.

* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI.

* HUMILIS. This useful decorative Palm can be supplied in all sizes, from 5s., 7s. 6d., 10s. 6d., 15s. and 21s. to 2, 3 and 4 guineas each.

* — GRACILIS, 15s. and 21s.

* — ROBUSTA, 15s. and 21s.

CHAMÆROPS STAURACANTHA, *vide* ACANTHORHIZA ACULEATA.

CHRYSALIDOCARPUS LUTESCENS (AREOA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes, 1s. 6d., 2s. 6d., 3s. 6d. and 5s. to 21s.

***COCOS AUSTRALIS** (DIPLOTHEMIUM CAMPESTRE), 3s. 6d. and 5s.

FLEXUOSA, 3s. 6d. and 5s.

INSIGNIS (GLAZIOVA INSIGNIS), 7s. 6d. and 10s. 6d.

PLUMOSA, 3s. 6d. and 5s.

WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), one of the most elegant Palms, of which so many charming species are now to be found in cultivation. In all sizes, 1s. 6d., 2s. 6d., 3s. 6d., 5s. to 21s.



COCOS WEDDELLIANA.

COPERNICIA CERIFERA, "Carnauba Palm," 31s. 6d.

***CORYPHA AUSTRALIS**, *vide* LIVISTONA AUSTRALIS.

CYCAS CIRCINALIS, 1½ and 2 guineas.

* **REVOLUTA**, in all sizes, 7s. 6d., 10s. 6d., 15s. and 21s.; fine specimens, 3, 4 and 5 guineas each.

CYCLANTHUS DISCOLOR, 21s.

CYRTOSTACHYS RENDA.

DÆMONOROPS, *vide* CALAMUS.

DICTYOSPERMA FIBROSUM (PISSAVA OF MADAGASCAR), 1½ guinea.

DIOON EDULE, 15s., 21s., 1½ and 2 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS.

CAUDESCENS (CEROXYLON NIVEUM), 5s. and 7s. 6d.

DYPSIS (ARECA) MADAGASCARIENSIS, 3s. 6d. & 5s.

***ENCEPHALARTOS CAFFRA**.

HORRIDUS.

* (ZAMIA) REGALIS.

* (—) VILLOSUS.

* (—) — VROOMII, 4 and 5 guineas.

EUTERPE EDULIS, "Assai Palm" (OREODOXA SANCONA), 1s. 6d., 2s. 6d., 3s. 6d. and 5s.

GEONOMA ACAULIS, 4 and 5 guineas.

GRACILIS, 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.

INTERMEDIA, 2s. 6d., 3s. 6d. and 5s.

LATIFOLIA, 3s. 6d. and 5s.

PUMILA, 3s. 6d. and 5s.

SCHOTTIANA, 3s. 6d. and 5s.



GEONOMA GRACILIS.

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELIANA.

INSONIS, *vide* COCOS INSIGNIS.

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA.

FORSTERIANA, *vide* HOWEA FORSTERIANA.

***HEDYSCEPE CANTERBURYANA**, "Umbrella Palm" (KENTIA CANTERBURYANA), 3s. 6d., 5s. and 7s. 6d.



HOWEA (KENTIA) BELMOREANA.

***HOWEA BELMOREANA**, "Curley Palm" (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 1s. 6d., 2s. 6d., 3s. 6d. to 21s.

* **FORSTERIANA**, "Flat or Thatch-Leaf Palm" (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 1s. 6d., 2s. 6d., 3s. 6d. to 21s.

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA), 5s. and 7s. 6d.

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS.

INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS.

***KENTIA BELMOREANA**, *vide* HOWEA BELMOREANA.

* **CANTERBURYANA**, *vide* HEDYSCEPE CANTERBURYANA.

CONCINNA, a compact-growing Palm imported from Brazil. In the young state the pinnate leaves have four to five pairs of leaflets, the terminal pair being much the broadest, each leaflet terminating in a pinnate manner. The petioles are covered with a fuliginous rufescence, the curving of the leaves giving the plant a most graceful appearance. 15s. and 21s.

* **FORSTERIANA**, *vide* HOWEA FORSTERIANA.

* — **RUPICOLA**, 10s. 6d.

KENTIA MACARTHURII, *vide* **PTYCHOSPERMA MACARTHURII**.

ORNATA, 42s.

SAPIDA, *vide* **RHOPALOSTYLIS SAPIDA**.

WENDLANDIANA, *vide* **HYDRIASTELE WENDLANDIANA**.

* **LATANIA BORBONICA**, *vide* **LIVISTONA OHINENSIS**. **COMMERSONI** (L. RUBRA), 1 and 1½ guinea.

LEOPOLDINA PULCHRA, *vide* **COCOS WEDDELLIANA**.

LEPIDOZAMIA PEROFFSKYANA (**MACROZAMIA DENISONI**), 10s. 6d. and 15s.

LICUALA (**PRITCHARDIA**) **GRANDIS**. This was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced. It is of robust, compact habit, producing large, handsome leaves, nearly orbicular in general outline, with a wedge-shaped, somewhat truncate base; the margin for the greater part of the circumference is divided into narrow oblong lobes, each of which is slightly notched. 5s., 7s. 6d. and 10s. 6d.

MUELLERI, *vide* page 4.

SPINOSA, 10s. 6d. and 15s.

LIVISTONA ALTISSIMA, 10s. 6d., 15s. and 21s.

* **AUSTRALIS** (**CORYPHA AUSTRALIS**), 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.

* **CHINENSIS** (**LATANIA BORBONICA**, L. **SINENSIS**, L. **MAURITIANA**), in all sizes, from 2s. 6d. 3s. 6d., 5s., 7s. 6d., 10s. 6d., 15s. and 2 to 3, 4 and 5 guineas each.

HOOGENDORPFI, 7s. 6d. and 10s. 6d.

INERMIS, an elegant and ornamental species introduced from Queensland, 15s. and 1 guinea.

* **MAURITIANA**, *vide* L. **CHINENSIS**.

ROTUNDFOLIA (**SUBGLOBOSA**), 7s. 6d. and 10. 6d.

* **SINENSIS**, *vide* L. **CHINENSIS**.

* **MACROZAMIA DENISONI**, *vide* **LEPIDOZAMIA PEROFFSKYANA**.

OREODOXA SANCONA, *vide* **EUTERPE EDULIS**.

PHENICOPHORUM SECHELLARUM, *vide* **STEVENSONIA GRANDIFOLIA**.

* **PHENIX CANARIENSIS**.

* **COMPACTA**, 7s. 6d. and 10s. 6d.

* **DACTYLIFERA** (**THE DATE PALM**), 3s. 6d., 5s. and 7s. 6d.

* **HYBRIDA**, 21s. and 31s. 6d.

* **INTERMEDIA**, 7s. 6d. and 10s. 6d.

* **RECLINATA**, 3s. 6d., 5s., 7s. 6d. and 10s. 6d.

* **RUPICOLA**, one of the most graceful of greenhouse Palms, very useful for every decorative purpose. *vide* illustration. 2s. 6d., 3s. 6d. and 5s. Fine plants, 21s., 31s. 6d. and 42s.

* **TENUIS**, 3s. 6d. and 5s.

PINANGA MACULATA, 10s. 6d. to 21s.

PRITCHARDIA AUREA, 1½, 2 and 3 guineas.

GRANDIS, *vide* **LICUALA GRANDIS**.

PACIFICA, 7s. 6d. and 10s. 6d.



PHENIX RUPICOLA.

* **PTYCHOSPERMA ALEXANDRE**, *vide* **ARCHONTOPHENIX ALEXANDRE**.

* **CUNNINGHAMIANA**, *vide* **ARCHONTOPHENIX CUNNINGHAMIANA**.

MACARTHURII (**KENTIA MACARTHURII**), 3s. 6d., 5s. and 7s. 6d.

RAPHIA VINIFERA, "AFRICAN WINE PALM," 21s.

* **RHAPIS FLABELLIFORMIS**, 5s., 7s. 6d. to 21s.

HUMILIS, 21s. and 31s. 6d.

* **RHOPALOSTYLIS BAUERI** (**ARECA BAUERI**, **SEAFORTHIA ROBUSTA**), 5s., 7s. 6d. and 10s. 6d.

SAPIDA, "NIKAU PALM" (**ARECA SAPIDA**, **KENTIA SAPIDA**), 3s. 6d., 5s. and 7s. 6d.

SABAL ADANSONI, "DWARF PALMETTO," 3s. 6d. and 5s.

GLAUCCOENS, 7s. 6d. and 10s. 6d.

UMBRACULIFERA (**BLACKBURNIANA**), noble and very distinct, 3s. 6d. and 5s.

* **SEAFORTHIA ELEGANS**, *vide* **ARCHONTOPHENIX CUNNINGHAMIANA**.

* **ROBUSTA**, *vide* **RHOPALOSTYLIS BAUERI**.

STANGERIA PARADOXA, 21s., 31s. 6d. and 42s.

STEVENSONIA GRANDIFOLIA (**PHENICOPHORUM SECHELLARUM**). Small plants, 3s. 6d., 5s., 7s. 6d. and 10s. 6d.

THRINAX CHUCCO, 5s. and 7s. 6d.

* **PARVIFLORA**, 3s. 6d., 5s. and 7s. 6d.

* **TRACHYCARPUS EXCELSUS** (**CHAMEROPS EXCELSA**), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s. to 2, 3, 4 and 5 guineas each.

* **FORTUNEI** (**CHAMEROPS FORTUNEI**), in all sizes, from 2s. 6d., 3s. 6d., 5s., 7s. 6d., and 10s. 6d. to 1, 2, 3, 4 and 5 guineas each.

WALLICHIA DENSIFLORA, 21s. and 31s. 6d. **ORTUSA**.

* **ZAMIA BREVIFRONS**, 1½ and 2 guineas.

PRASINA, 1½ guinea.

* **VILLOSA**, *vide* **ENCEPHALARTOS VILLOSUM**.

* **VROOMII**, *vide* **ENCEPHALARTOS VROOMII**.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years.

Prices on application, or an inspection invited.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

ACROPHORUS AFFINIS, 2s. 6d. and 3s. 6d.
PULCHRA, 2s. 6d. and 3s. 6d.

ACROSTICHUM DRYNARIOIDES, 3s. 6d.
LATIFOLIUM CALLEFOLIUM, 2s. 6d. and 3s. 6d.

ACTINOPTERIS RADIATA, 3s. 6d.

ADIANTOPSIS RADIATA, 3s. 6d.

ADIANTUM ÆMULUM, 1s. 6d.

ÆTHIOPICUM, 1s. 6d.

AMABILE, 1s. 6d.

ANEITENSE, 2s. 6d. and 3s. 6d.

ASSIMILE ORISTATUM, *vide* page 40.

BAUSEI, 2s. 6d.

BELLUM, 2s. 6d.

BESSONIANA, 3s. 6d.

BIRKENHEADII, 3s. 6d.

BRASILIENSE, 2s. 6d. and 3s. 6d.

CARDIOCHLENA, 3s. 6d.

CAUDATUM, 3s. 6d.

CILIATUM, 2s. 6d. and 3s. 6d.

CLAESIANUM, 5s.

COLLISII, 1s. 6d. and 2s. 6d.

CONCINNUM, 1s. 6d. and 2s. 6d.

— **LATUM**, 2s. 6d. and 3s. 6d.

CRISTATUM, 5s.

CURVATUM, 3s. 6d.

DIGITATUM, 2s. 6d. and 3s. 6d.

DOLABRIFORME, 2s. 6d. and 3s. 6d.

ELEGANTISSIMUM, 3s. 6d. and 5s.

EXOISUM MULTIFIDUM, 3s. 6d.

FARLEYENSE, 3s. 6d. and 5s.

FASCICULATUM, 3s. 6d.

FEROUSONII, 2s. 6d.

FULVUM, 1s. 6d. and 2s. 6d.

FUNCKII, 1s. 6d. and 2s. 6d.

GHIESBREGHTII (SCUTUM), 1s. 6d. and 2s. 6d.

— **ROSEUM**, 2s. 6d. and 3s. 6d.

KAULFUSSI, 3s. 6d.

LAMBERTIANUM, 2s. 6d. and 3s. 6d.

LATHOMII, 3s. 6d.

LEORANDII, 1s. 6d. and 2s. 6d.

LUDDERMANNIUM, 3s. 6d.

ADIANTUM LUNULATUM, 2s. 6d. and 3s. 6d.

MACROPHYLLUM, 3s. 6d.

— **ALBO-STRIATUM**, 3s. 6d. and 5s.

— **BIPINNATUM**, 3s. 6d.

OBLIQUUM, 2s. 6d.

PENTADACTYLON, 3s. 6d.

PERUVIANUM, 3s. 6d.

REOINÆ, 1s. 6d. and 2s. 6d.

RHODOPHYLLUM, 1s. 6d. and 2s. 6d.

RHOMBOIDEUM, 3s. 6d.

RUBELLUM, 2s. 6d. and 3s. 6d.

SANCTÆ CATHERINÆ, 2s. 6d. and 3s. 6d.

SCHIZOPHYLLUM, 2s. 6d. and 3s. 6d.

SCUTUM, *vide* Ghiesbreghtii.

SEEMANNII, 3s. 6d. and 5s.

SPECIOSUM, 3s. 6d. and 5s.

TENERUM, 2s. 6d.

TETRAPHYLLUM ACUMINATUM, 3s. 6d.

— **GRACILE**, 3s. 6d. and 5s.

TINCTUM, 2s. 6d. and 3s. 6d.

TRAPEZIFORME, 3s. 6d. and 5s.

VEITCHII, 3s. 6d.

VICTORIAE, 2s. 6d. and 3s. 6d.

VILLOSUM, 2s. 6d.

WALTONII DIFFUSUM, 2s. 6d. and 3s. 6d.

WEIGANDII, 2s. 6d. and 3s. 6d.

WILSONII, 3s. 6d.

AGLAMORPHA MEYENIANA (The Bear's Foot Fern), 3s. 6d.

ALEURITOPTERIS MEXICANA, 5s.

ANEMEDICTYON PHYLLITIDIS, 1s. 6d. and 2s. 6d.

ANEMIA COLLINA, 2s. 6d.

— **ROTUNDIFOLIA**, *vide* Illustration, page 38.

ANTIGRAMMA BRASILIENSIS, 7s. 6d. and 10s. 6d.

ASPIDIUM DILACERATUM, 3s. 6d.

LEPINOCAULON, 3s. 6d.

MACROPHYLLUM, 3s. 6d.

POLYMORPHUM, 1s. 6d. and 2s. 6d.

PUNGENS, 3s. 6d.

RIGIDUM, 2s. 6d.

TRIFOLIATUM, 1s. 6d. and 2s. 6d.



ANEMIA ROTUNDIFOLIA.

This pretty ornamental species is one of those popularly known as Flowering Ferns. It is of tufted habit with spreading barren fronds and erect fertile ones. The stalks are at first coarsely hairy, subsequently becoming glabrescent; sterile fronds oblong, ending in a long curled tendril. The pinnae are numerous and alternate, each broadly oblong obtuse, oblique and coarsely toothed. When young the fronds are pinkish bronze, turning to green as they become mature. The fertile fronds are in pairs, arising from between the basal pair of pinnae; erect, linear oblong with numerous spore cases, borne in graceful spike-like panicles. Has been awarded a First Class Certificate by the Royal Horticultural Society. 10s. 6d.

ASPLENIUM ALATUM, 2s. 6d.

- ANISOPHYLLUM, 3s. 6d.
 ATTENUATUM, 3s. 6d.
 BANTAMENSE, 3s. 6d.
 BAPTISTII, 3s. 6d.
 BELANGERI, 1s. 6d. and 2s. 6d.
 BIFIDUM, 2s. 6d.
 CLOUTARIUM, 2s. 6d.
 CULTRIFORME, 2s. 6d. and 3s. 6d.
 ELATUM, 1s. 6d.
 ERECTUM, 1s. 6d. and 2s. 6d.
 FABIANUM (*feniculaceum of gardens*), 2s. 6d.
 FERNANDEZIANUM, 1s. 6d. and 2s. 6d.
 FORMOSUM, 2s. 6d. and 3s. 6d.
 FRAGRANS, 2s. 6d.
 GEMMIFERUM, 2s. 6d. and 3s. 6d.
 HOOKERIANUM, 3s. 6d.
 INEQUALIFOLIUM, 2s. 6d.
 LONGISSIMUM, 3s. 6d.
 MAYI, 10s. 6d.
 NIDUS, 2s. 6d.
 NOBILE, 3s. 6d.
 ORNATUM, 7s. 6d.
 PROLONGATUM, 3s. 6d. and 5s.
 SHEPHERDII, 2s. 6d. and 3s. 6d.
 VIVIPARUM, 2s. 6d. and 3s. 6d.
 VIELLARDI, 3s. 6d.
 ZEYLANICUM, 2s. 6d.
 See also page 41.

BLECHNUM BRASILIENSE, 2s. 6d. and 3s. 6d.

- LATIFOLIUM, 2s. 6d. and 3s. 6d.
 POLYPODIODES, 2s. 6d. and 3s. 6d.
 OCCIDENTALE, 1s. 6d. and 2s. 6d.

BRAINEA INSIGNIS, 5s.**CHEILANTHES ALABAMENSIS**, 5s.

- ECKLINIANA, 3s. 6d. and 5s.
 ELEGANS, 2s. 6d. and 3s. 6d.
 HIRTH ELLISIANA, 2s. 6d.
 TENUIS, 3s. 6d.
 TOMENTOSA, 2s. 6d.
 VISCOSA, 2s. 6d. and 3s. 6d.

CIBOTIUM BAROMETZ, 3s. 6d.

- SCHIEDEI, 3s. 6d. and 5s.

CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 41.**DAVALLIA CONCINNA**, 10s. 6d.

- BULLATA, 1s. 6d. and 2s. 6d.
 CHEROPHYLLA, 3s. 6d.
 DECORA, 3s. 6d.
 ELEGANS, 2s. 6d.
 — POLYDACTYLA, 3s. 6d. and 5s.
 — RUFA, 3s. 6d.
 EPIPHYLLA, 5s. and 7s. 6d.
 FENICULACEA, 3s. 6d. and 5s.
 FIJIENSIS, 3s. 6d. and 5s.
 — MAJOR, 3s. 6d. and 5s.
 — PLUMOSA, 3s. 6d. and 5s.
 HIRSUTA, 3s. 6d. and 5s.
 HEMIPTERA, 3s. 6d.
 KUNZII, 3s. 6d. and 5s.
 LAWSONIANA, 2s. 6d. and 3s. 6d.
 LUCIDA, 5s. and 7s. 6d.
 MEMBRANULOSA, 2s. 6d. and 3s. 6d.
 MOOREANA, 2s. 6d. and 3s. 6d.
 NOVA ZEALANDIÆ, 2s. 6d.
 ORNATA, 3s. 6d. and 5s.
 PARVULA, 5s.
 PENTAPHYLLA, 3s. 6d.
 POLYANTHA, 3s. 6d.

DAVALLIA SOLIDA, 3s. 6d.

- TYERMANNI (HUMATA), 2s. 6d.
 See also page 41.

DENNSTÆDTIA DAVALLIOIDES, 3s. 6d.**DIPLAZIUM ARNOTTII**, 7s. 6d.**DORYOPTERIS GERANIFOLIA**, 2s. 6d. and 3s. 6d.

- HASTATA, 2s. 6d. and 3s. 6d.
 LUDENS, 5s.
 PALMATA, 1s. 6d. and 2s. 6d.
 PEDATA, 2s. 6d. and 3s. 6d.
 SAGITTEFOLIA, 3s. 6d. and 5s.

DRYNARIA BILLARDIERII, 2s. 6d. and 3s. 6d.

- DIVERSIFOLIA, 3s. 6d. and 5s.
 HILLII, *vide* page 3.
 MUSÆFOLIA, 2s. 6d. and 3s. 6d.
 PROPINQUA, 2s. 6d. and 3s. 6d.

ELAPHOGLOSSUM CONFORME, 3s. 6d. and 5s.

- GLABRATUM, 7s. 6d.

FADYENIA PROLIFERA, 3s. 6d.**GLEICHENIA DICARPA**, 3s. 6d. and 5s.

- DICARPA LONGIPINNATA, 5s. and 7s. 6d.
 DIOHOTOMA, 7s. 6d.
 FLABELLATA, 5s. and 7s. 6d.
 MENDELII, 10s. 6d. and 15s.
 MICROPHYLLA, 5s. and 7s. 6d.
 RUPESTRIS GLAUDESCENS, 7s. 6d.
 SEMIVESTITA, 5s. and 7s. 6d.
 SPELUNCE, 7s. 6d.

GONIOPHLEBIUM APPENDICULATUM, 3s. 6d.

- BISERIALE, 3s. 6d.
 FRAXINIFOLIUM, 5s.
 GLAUCOPHYLLUM, 3s. 6d. and 5s.
 LACHNOPUS, 2s. 6d.
 RUPESTRIS, 3s. 6d.
 SUBAURICULATUM, 2s. 6d.
 VERRUCOSUM, 3s. 6d.

GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 2s. 6d. and 3s. 6d.

- CHRYSOPHYLLUM, 1s. 6d. and 2s. 6d.
 — GRANDICEPS SUPERBA, 5s. and 7s. 6d.
 DECOMPOSITUM, 2s. 6d. and 3s. 6d.
 ELEGANTISSIMUM, 5s., 7s. 6d. and 10s. 6d.
 LAUCHEANUM, 2s. 6d. and 3s. 6d.
 MAYI, 2s. 6d.
 MASSONI, 3s. 6d.
 MERTENSII, 2s. 6d. and 3s. 6d.
 MULTICEPS, 3s. 6d.
 PARSONSII, 2s. 6d.
 PEARCEI ROBUSTUM, 3s. 6d. and 5s.
 PERUVIANUM ARGYROPHYLLUM, 2s. 6d. & 3s. 6d.
 SCHIZOPHYLLUM, 1s. 6d. and 2s. 6d.
 — GLORIOSUM, 2s. 6d. and 3s. 6d.
 TARTAREUM, 2s. 6d.
 TOMENTOSUM, 2s. 6d.
 TRIFOLIATUM, 3s. 6d.

WETENHALLIANUM, 2s. 6d. and 3s. 6d.**GYMNOPTERIS QUERCIFOLIA**, 3s. 6d.**GYMNOTHECA RADDIANA**, 2 and 3 guineas.**HEMIONITIS CORDATA**, 2s. 6d.

- PALMATA, 2s. 6d. and 3s. 6d.

HYMENODIUM CRINITUM, 3s. 6d. and 5s.**HYPOLEPIS BEROIANA**, 2s. 6d. and 3s. 6d.

- REPENS, 2s. 6d. and 3s. 6d.

LASTREA QUINQUANGULARIS, 3s. 6d.

- RICHARDSH MULTIFIDA, 3s. 6d.

See also page 41.

LOMARIA CILIATA MAJOR, 2s. 6d. and 3s. 6d.

- GIBBA, 1s. 6d. and 2s. 6d.

LYGODIUM DICHOTOMUM, 3s. 6d.

LANCEOLATUM, 5s.

MICROPHYLLUM, 2s. 6d.

POLYMORPHUM, 3s. 6d.

SCANDENS, 2s. 6d.

MENISCIUM RETICULATUM, 3s. 6d.

SIMPLEX, 3s. 6d.

MICROLEPIA HIRTA CRISTATA, 3s. 6d.

PLATYPHYLLA, 2s. 6d. and 3s. 6d.

STRIGOSA, 2s. 6d. and 3s. 6d.

NEPHRODIUM TRUNCATUM, 7s. 6d.**NEPHROLEPIS ACUTA**, 3s. 6d.

BARTERII, 2s. 6d., 3s. 6d. and 5s.

BAUSEI, 2s. 6d. and 3s. 6d.

CORDATA COMPACTA, 2s. 6d.

DAVALLIOIDES, 3s. 6d.

— FURCANS, 3s. 6d.

— MULTICEPS, 3s. 6d. and 5s.

— PLUMOSA, 3s. 6d. and 5s.

DUFFII, 2s. 6d. and 3s. 6d.

ENSIFOLIA, 3s. 6d.

EXALTATA, 1s. 6d. and 2s. 6d.

PECTINATA, 2s. 6d. and 3s. 6d.

PHILIPPINENSIS, 2s. 6d.

RECURVATA, 2s. 6d. and 3s. 6d.

RUFESCENS TRIPINNATIFIDA, 3s. 6d.

TUBEROSA, 1s. 6d. and 2s. 6d.

NOTOCHLENA CHRYSOPHYLLA, 2s. 6d. & 3s. 6d.

NIVEA, 2s. 6d. and 3s. 6d.

SINUATA, 2s. 6d. and 3s. 6d.

ONYCHIUM AURATUM, 3s. 6d.**PHLEBODIUM AUREUM**, 1s. 6d. and 2s. 6d.

GLAUCUM, 1s. 6d. and 2s. 6d.

SPORODOCARPUM, 2s. 6d. and 3s. 6d.

PLATYCEERIUM GRANDE, 5s. and 7s. 6d.

STEMARIA, 7s. 6d. and 10s. 6d.

See also page 41.

PLATYLOMA FLEXUOSUM, 2s. 6d. and 3s. 6d.

See also page 42.

PLEOPELTIS FOSSA, 3s. 6d. and 5s.

PELTIDEA, 2s. 6d. and 3s. 6d.

PHYMATODES CRISTATA, 5s.

PICTA, 5s.

PUSTULATA, 2s. 6d. and 3s. 6d.

POLYPODIUM AREOLATUM, 5s.

CRASSIFOLIUM, 3s. 6d.

GRANDIDENS, 3s. 6d.

IRIODES LOBATUM, *vide* page 4.

NIORESCENS, 3s. 6d.

PECTINATUM, 3s. 6d.

VENOSUM, 3s. 6d.

See also page 42.

POLYSTICHUM LENTUM, 5s.

TRIANGULARE, 2s. 6d.

— LAXUM, 2s. 6d. and 3s. 6d.

VIVIPARUM, 3s. 6d. and 5s.

See also page 42.

PTERIS ASPERICAULIS, 1s. 6d. and 2s. 6d.

BAUSEI, 2s. 6d., 3s. 6d. and 5s.

BLAURITA, 3s. 6d.

— ARGENTEA, 2s. 6d. and 3s. 6d.

LUDENS, 3s. 6d.

MOLUCCANA, 3s. 6d.

TRICOLOR, 2s. 6d. and 3s. 6d.

VICTORIE, 2s. 6d. and 3s. 6d.

WIMSETTII, 1s. 6d. and 2s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

See also page 42.

RHIPIDOPTERIS PELTATA ORACILLIMA, 3s. 6d.**SELLIGUEA CAUDIFORME**, 2s. 6d. and 3s. 6d.**STENOCHLENA SCANDENS**, 3s. 6d.**STRUTHIOPTERIS GERMANIOA**, 1s. 6d. and 2s. 6d.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at
24s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE, 1s. 6d.

ASSIMILE CRISTATUM, 3s. 6d.

CAPILLUS-VENERIS, 1s. 6d.

— CORNUBIENSE, 2s. 6d.

— DAPHNITES, 2s. 6d.

— FISSUM, 2s. 6d.

— GRANDE, 2s. 6d.

— IMBRICATUM, 3s. 6d. and 5s.

— MAGNIFICUM, 2s. 6d.

— MARIESII, 1s. 6d. and 2s. 6d.

— O'BRIENI, 2s. 6d.

— PACOTTI, 1s. 6d. and 2s. 6d.

CUNEATUM, 1s. 6d. and 2s. 6d.

— ELEGANS, 2s. 6d.

— GRANDICEPS, 1s. 6d. and 2s. 6d.

— GRANDIS, 3s. 6d.

— VARIEGATUM, 5s.

DECORUM, 1s. 6d. and 2s. 6d.

FORMOSUM, 1s. 6d.

ADIANTUM FRAGRANTISSIMUM, 1s. 6d. and 2s. 6d.

GLAUCOPHYLLUM, 2s. 6d.

ORACILLIMUM, 1s. 6d. and 2s. 6d.

HISPIDULUM, 1s. 6d.

MUNDULUM, 2s. 6d. and 3s. 6d.

PENTAPHYLLUM, 1s. 6d. and 2s. 6d.

PUBESCENS, 1s. 6d. and 2s. 6d.

RENIFORME, 3s. 6d.

SETULOSUM, 1s. 6d. and 2s. 6d.

TENELLUM, 3s. 6d.

VENUSTUM, 2s. 6d.

VERSAILLENSIS, 3s. 6d.

WILLIAMSHI, 2s. 6d. and 3s. 6d.

See also page 37.

ALSOPHILA AUSTRALIS, 2s. 6d. and 3s. 6d. Large specimen, 31s. 6d. and 42s., and upwards.

EXCELSA, 3s. 6d.

ASPIDIUM MUCRONATUM, 2s. 6d.

ASPLENIUM BULBIFERUM, 1s. 6d. and 2s. 6d.

CAUDATUM, 3s. 6d.

COLENSOI, 1s. 6d. and 2s. 6d.

DIMORPHUM (*biforme*), 1s. 6d. and 2s. 6d.

DIVARICATUM, 2s. 6d. and 3s. 6d.

REBENSUM, 1s. 6d. and 2s. 6d.

ELEGANTULUM, 2s. 6d. and 3s. 6d.

ERECTUM, 1s. 6d. and 2s. 6d.

FALCATUM, 7s. 6d.

FLABELLIFOLIUM, 2s. 6d.

FLACOIDUM, 1s. 6d. and 2s. 6d.

HEMIONITIS, 3s. 6d.

LANOEOLATUM, 1s. 6d. and 2s. 6d.

LAXUM PUMILUM, 1s. 6d. and 2s. 6d.

LUCIDUM, 2s. 6d. and 3s. 6d.

MARGINATUM, 2s. 6d. and 3s. 6d.

NEO-CALEDONICUM, 3s. 6d.

PALMATUM, 3s. 6d.

BLECHNUM GRAOILE, 2s. 6d.

INTERMEDIA, 2s. 6d.

CETERACH AUREUM, 5s. and 7s. 6d.**CHEILANTHES**, *vide* page 39.**CIBOTIUM** GLAUCUM, *vide* *Dickeonia glauca*.

REGALE, 2s. 6d., 3s. 6d. and 5s.

SCHIEDRI, *vide* page 39.**CYATHEA** DEALBATA (The Silver Fern of New Zealand), 3s. 6d., 5s. and 7s. 6d. Large specimens of this beautiful Tree Fern can be supplied, sizes and prices on application.

DREGEI, 3s. 6d. and 5s. Large specimens, sizes and prices on application.

SMITHII. Fine specimens of this handsome Tree Fern, sizes and prices on application.

MEDULLARIS, 2s. 6d. and 3s. 6d. to 21s.

Large specimens from 2 guineas upwards.

(CIBOTIUM) PRINCEPS, 2s. 6d. and 3s. 6d.

CYRTOMIUM OARYOTIDEUM, 2s. 6d. and 3s. 6d.

FALCATUM, 1s. 6d. and 2s. 6d.

— FENSOMII, 2s. 6d.

FORTUNEI, 1s. 6d. and 2s. 6d.

DAVALLIA CANARIENSIS, 2s. 6d.

DISSECTA, 2s. 6d. and 3s. 6d.

GRIFFITHIANA, 2s. 6d. and 3s. 6d.

MARIESII, 2s. 6d. and 3s. 6d.

— CRISTATA, 3s. 6d. and 5s.

PYXIDATA, 3s. 6d.

TENUIFOLIA, 2s. 6d.

— STRICTA, 2s. 6d.

— VEITCHIANA, 3s. 6d.

of roots, 3s. 6d. and 5s.

DICKSONIA ANTARCTICA, 1s. 6d., 2s. 6d. and 3s. 6d.

Magnificent specimens of this well-known Tree Fern, sizes and prices on application.

APIIFOLIA, 3s. 6d.

(CIBOTIUM) GLAUCA. This elegant Tree Fern has been introduced from the Sandwich Isles, and in the young state will be found a striking and ornamental Fern for the greenhouse. The fronds are spreading and bipinnate, oblong acute in outline and glaucous beneath; pinnæ very numerous, alternate and linear lanceolate; pinnules curved, oblong acute, with spore cases along the margins. The fronds are covered with rich golden brown hair. 10s. 6d.

DICKSONIA SQUARROSA, 3s. 6d., 5s. and 7s. 6d.**DICTYOGRAMMA** CAUDIFORME, 2s. 6d.

ELLIPTICA, 2s. 6d.

JAPONICUM, 1s. 6d. and 2s. 6d.

— VARIEGATUM, 2s. 6d.

DIDYMOCHLÆNA TRUNCATULA, 3s. 6d.**DIPLAZIUM**, *vide* page 39.**DORYOPTERIS** PALMATA, *vide* page 39.**DOODIA** ASPERA, 1s. 6d. and 2s. 6d.

ASPERA AMENA.

— MULTIFIDA, 2s. 6d. and 3s. 6d.

CAUDATA, 1s. 6d.

KUNTHIANA, 3s. 6d.

MEDIA, 1s. 6d. and 2s. 6d.

ELAPHOGLOSSUM, *vide* page 39.**HYMENOPHYLLUM** DREMISSUM, 5s. and 7s. 6d.

MULTIFIDUM, 21s.

LASTREA ARISTATA, 2s. 6d.

ARISTATA VARIEGATA, 1s. 6d. and 2s. 6d.

ATREATA, 1s. 6d. and 2s. 6d.

— VARIEGATA, 1s. 6d. and 2s. 6d.

CORYSUA, 1s. 6d. and 2s. 6d.

OUSPIDATA, 2s. 6d.

DECOMPOSITA, 3s. 6d.

ERYTHROSORA, 1s. 6d.

GLABELLA, 1s. 6d. and 2s. 6d.

HISPIDA, 3s. 6d.

LEPIDA, 1s. 6d. and 2s. 6d.

MEMBRANIFOLIA, 2s. 6d. and 3s. 6d.

PATENS, 1s. 6d.

PROLIFICA, 1s. 6d. and 2s. 6d.

SIEBOLDII, 1s. 6d. and 2s. 6d.

STANDISHII, 2s. 6d.

TRIANGULARE, 2s. 6d.

VARIA, 2s. 6d.

LEUCOSTEGIA IMMERSA, 2s. 6d.**LITOBROCHIA** (PTERIS) VESPERTILIONIS, 2s. 6d. and 3s. 6d.**LOMARIA** ATTENUATA, 3s. 6d. and 5s.

OILIATA GRANDIS, 5s.

— MAJOR, 2s. 6d.

CYCADEFOLIA, 2s. 6d., 3s. 6d. and 5s.

DALGAIRESII, 1½ and 2 guineas.

DISCOLOR BIPINNATIFIDA.

GIBBA, *vide* page 39.

NUDA, 3s. 6d.

PATERSONII, 1s. 6d. and 2s. 6d.

— ELONGATA, 3s. 6d. and 5s.

ZAMIEFOLIA, 2s. 6d. and 3s. 6d.

NEPHRODIUM CUCUTARIUM, 1s. 6d. and 2s. 6d.

DECUBENS, 2s. 6d.

MOLLE CORYMBIFERUM, 1s. 6d. and 2s. 6d.

— CRISTATUM, 3s. 6d.

— RAMOSUM, 3s. 6d.

RECEDENS, 2s. 6d.

NIPHOBOLUS HETERACHTIS, 2s. 6d. and 3s. 6d.

LINGUA CORYMBIFERA, 3s. 6d. and 5s.

ONYCHIMUM JAPONICUM, 1s. 6d.**OSMUNDA** JAPONICA CORYMBIFERA, 2s. 6d. & 3s. 6d.

PALUSTRIS, 1s. 6d. and 2s. 6d.

PELLÆA INVOLUTA, 2s. 6d. and 3s. 6d.

TERNIFOLIA, 3s. 6d. and 5s.

PLATYCERIUM ALICORNE, 3s. 6d.

ALICORNE MAJUS, 7s. 6d.

WILLINKII, 7s. 6d.

PLATYLOMA FALCATUM, 3s. 6d.

ROTUNDIFOLIUM, 2s. 6d. and 3s. 6d.

See also page 40.

PLEOCNEMIA LEUZEANA, 3s. 6d.**POLYPODIUM PECTINATUM**, 3s. 6d.

REFRACTUM, 3s. 6d. and 5s.

SCHNEIDERI, 5s.

TRICHODES (LASTREA TENERIOAULIS), 3s. 6d.,
5s. and 7s. 6d.

See also page 40.

POLYSTICHUM CAPENSE, 1s. 6d. and 2s. 6d.

CORIAEUM, 2s. 6d. and 3s. 6d.

MUCRONATUM, 2s. 6d. and 3s. 6d.

POLYBLEPHARUM, 2s. 6d., 3s. 6d. and 5s.

SETOSUM, 1s. 6d. and 2s. 6d.

TSUS-SIMENSE, 1s. 6d. and 2s. 6d.

VENUSTUM, 5s.

See also page 40.

PTERIS ADIANTIFOLIA, 1s. 6d. and 2s. 6d.

ARGUTA, 2s. 6d.

ARGYREIA, 1s. 6d. and 2s. 6d.

CRETIOA, 1s. 6d.

— ALBO-LINEATA, 1s. 6d.

— — CRISTATA, 2s. 6d. and 3s. 6d.

— MAYII, 2s. 6d. and 3s. 6d.

— NOBILIS, 1s. 6d. and 2s. 6d.

— — VARIEGATA, 3s. 6d. and 5s.

— TORRANCEI, 5s.

— WIMSETTII, 1s. 6d. and 2s. 6d.

ENSIFORMIS, 1s. 6d. and 2s. 6d.

HASTATA, 1s. 6d. and 2s. 6d.

INTERNATA, 1s. 6d.

LEPTOPHYLLA, 2s. 6d.

LONGIFOLIA, 1s. 6d. and 2s. 6d.

— MARIESII, 2s. 6d. and 3s. 6d.

MEMORIALIS VARIEGATA, 1s. 6d. and 2s. 6d.

NIVALIS, 5s.

PTERIS OUVEARDII, 1s. 6d.

PEDATA, 3s. 6d.

REGINÆ, 3s. 6d.

— CRISTATA, 5s.

REX, 3s. 6d. and 5s.

SOABERULA, 2s. 6d. and 3s. 6d.

SEMIPINNATA, 2s. 6d. and 3s. 6d.

SERRULATA, 1s.

— CRISTATA, 1s. 6d.

— — OOMPAOTA, 2s. 6d. and 3s. 6d.

— — DENSE, 2s. 6d. and 3s. 6d.

— — GLORIOSA, 2s. 6d. and 3s. 6d.

— — MATOR, Chiswick variety, 5s.

— — UNDULATA, 2s. 6d.

— — VARIEGATA, 2s. 6d. and 3s. 6d.

— GRAOILIS, 1s. 6d. and 2s. 6d.

— MAYII, 1s. 6d.

— UNDULATA, 2s. 6d. and 3s. 6d.

STRAMINEA, 3s. 6d.

TREMULA, 1s. 6d. and 2s. 6d.

— BOULTONI, 3s. 6d. and 5s.

— ELEGANS, 3s. 6d. and 5s.

— FLACCIDA, 2s. 6d. and 3s. 6d.

— FOLIOSA, 2s. 6d.

— GRANDICEPS, 3s. 6d.

— SMITHIANA, 2s. 6d. and 3s. 6d.

— VARIEGATA, 5s.

UNIBROSA, 3s. 6d.

See also page 40.

TODEA AFRICANA, 2s. 6d. and 3s. 6d.

ARBOREA, 1s. 6d. and 2s. 6d.

(LEPTOPTERIS) HYMENOPHYLLOIDES (TODEA
PELLUCIDA), 2s. 6d., 3s. 6d. and 5s.**TRICHOMANES RADIOANS** (The Killarney or
Irish Bristle Fern), 5s., 7s. 6d. and 10s. 6d.**WOODWARDIA ORIENTALIS**, 1s. 6d. and 2s. 6d.

RADIOANS, 1s. 6d. and 2s. 6d.

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS).

G, greenhouse; H, hardy; S, stove.

	s.	d.		s.	d.
S AFRICANA	2	6	G KRAUSSIANA AUREA	1s. 6d. &	2 6
S AMENA	1s. 6d. &	2 6	G — VARIEGATA		1 6
S APUS (APODA)	1	6	S LÆVIGATA (OESIA ARBOREA)		3 6
S ATROVIRIDIS	2	6	S LOBBII		2 6
S CANALICULATA	5	0	S LYALLII		2 6
S CAULESCENS	2	6	S MARTENSII		1 6
S COGNATA	3	6	S — ALBO-VARIEGATA		1 6
S EMILIANA	1	6	S RUBRICAULIS		2 6
S FILICINA (DIOHROUS)	3	6	S SERPENS (MUTABILIS and VARIABILIS) ..		2 6
S FLAGELLIFERA	2	6	S SETOSA		2 6
S GRANDIS	3s. 6d. &	5 0	S UNCINATA (OESIA)		1 6
S INEQUALIFOLIA	1s. 6d. &	2 6	S USTA	3s. 6d. &	5 0
G KRAUSSIANA (DENTIOULATA)	0	9	S VICTORIE		3 6
			S WALLICHII		3 6

Selection of good kinds can be supplied at 18s. per dozen.

CHOICE PELARGONIUMS.

REGAL AND DECORATIVE.

- CRIMSON EMPEROR**, a splendid kind with rich dark crimson blotch. 2s. 6d.
INDIAN PRINCE, rich crimson, upper petals blotched dark maroon. 2s. 6d.
PERSIMON, fine trusses of rich carmine-crimson flowers, the petals being very full and elegantly crimped and undulated; upper petals feathered with maroon; a striking variety. 2s. 6d.
QUEEN OF WHITES, a beautiful double white variety; flowers very full and undulated. 2s.
SIR VISTO, fine trusses of rich crimson-scarlet flowers; light centre. 2s.

Selections of other good varieties can be made from Mr. W. B.'s General Collection at 18s., 24s. and 30s. per dozen, according to sorts.

SHOW.

- CYRUS**, magenta rose, upper petals suffused with bright crimson, blotched with blackish maroon; light centre. 3s. 6d.
DRYDEN, a charming variety, flowers pale pink shaded with rose; upper petals blotched maroon, surrounded with crimson scarlet; light centre. 10s. 6d.
ETHEL, upper petals blotched maroon surrounded purplish crimson, edged with soft lilac; lower petals soft lilac; light centre. 10s. 6d.
LAVERNA, clear rose pink veined with deep pink, upper petals distinctly blotched in centre with blackish maroon; white centre. 3s. 6d.
MAGIC, lower petals clear pink, upper petals blotched dark maroon, surrounded with fiery crimson and edged rose. 3s. 6d.
RATTLER, rose-coloured petals flushed with purple, upper petals blotched maroon on purplish crimson; light centre. 10s. 6d.
SENECA, pale blush-coloured flowers of good shape, upper petals blotched and feathered maroon on crimson ground. 10s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s General Collection at 18s., 24s. and 30s. per dozen, according to sorts.

SPOTTED.

- CASINO**, pale lilac rose, faintly spotted magenta; upper petals blotched and feathered with maroon on magenta purple. 3s. 6d.
CELIA, large pure white flower, upper petals heavily spotted with crimson maroon, lower petals spotted same colour. 10s. 6d.
COMUS, lower petals rose pink, veined crimson and spotted maroon; upper petals blotched maroon, surrounded with crimson, edged with rose. 3s. 6d.
EMBLEM, lower petals rose pink spotted crimson; upper petals rich maroon surrounded with crimson, edged with rose; white centre. 3s. 6d.
FIRMAN, flowers French white, spotted with crimson and feathered with purple, upper petals blotched dark maroon and stained crimson. 10s. 6d.
LELA, blush-coloured flowers, all the petals equally and strikingly blotched with maroon, surrounded with crimson. 3s. 6d.
LOTHARIO, petals blush white, the upper very distinctly spotted with maroon purple; lower petals spotted violet purple. 3s. 6d.
MARIUS, lower petals pink spotted with dark crimson, upper petals bright crimson edged with rose and blotched with blackish maroon. 10s. 6d.
MURIEL, deep rose pink spotted with crimson, upper petals blotched blackish maroon surrounded with crimson. 3s. 6d.
TIMON, purplish rose, lower petals heavily spotted and veined with maroon on a magenta-crimson ground, upper petals heavily blotched blackish maroon surrounded with magenta-crimson, edged purplish rose. 10s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s General Collection at 18s., 24s. and 30s. per dozen.

SINGLE-FLOWERED ZONAL PELARGONIUMS.

For New Varieties *vide* page 5.

- ADOLPHE BRISSON**, crimson-vermilion, upper petals maculated rose. 2s. 6d.
- AJAX**, large trusses of reddish purple flowers. 2s. 6d.
- ALFRED CANIN**, white, the petals bordered and marmorated with rose carmine; upper petals almost entirely white. 1s. 6d.
- ALFRED DE MUSSET**, clear rose, centre orange salmon. 2s. 6d.
- AMIRAL GERVAIS**, round reddish scarlet flowers, white centre surrounded by a violet zone. 3s. 6d.
- ANTIGONE**, large vermilion-rose flowers, with darker shade at base of upper petals. 2s. 6d.
- BELLE ETOILE**, violet amaranth shaded carmine; large white centre raying into the petals so as to form a star; very effective. 3s. 6d.
- BERTHA**, trusses of crimson-violet flowers, upper petals marked with vermilion at the base; good round flower. 3s. 6d.
- BRUTUS**, fine large globular trusses of brilliant orange-scarlet flowers; upper petals marked cerise. 3s. 6d.
- CALPE**, orange-vermilion flowers of good shape; fine truss. 2s. 6d.
- CAMILLE SAINT-SAËNS**, large round flowers, bright salmon with small white centre. 2s. 6d.
- CHATEAUBRIAND**, scarlet crimson, darkly veined in upper petals. 2s. 6d.
- CRUSADER**, rich fiery scarlet, upper petals shaded orange at base. 5s.
- DALILA**, large white flowers, each petal margined with bright red. 1s. 6d.
- DAMUS**, a very distinct soft shade of purplish magenta, each petal edged with vermilion, the basal half of the upper petals fiery scarlet; a striking variety. 3s. 6d.
- DAUMIER**, deep rosy lilac, centre punctulated bright red. 2s. 6d.
- DELAUVIGNE**, velvety crimson scarlet, veined black. 2s. 6d.
- DIAN**, trusses of salmon-rose flowers, shaded deep pink. 2s. 6d.
- DISTINCTION**, carmine cerise, upper petals maculated with white; white centre surrounded with purple. 1s. 6d.
- DUC LEOPOLD**, violet magenta bordered purple, scarlet in upper petals; white centre. 3s. 6d.
- ELBA**, salmon-cerise shaded scarlet; a fine round flower. 5s.
- ELDRED**, rich vermilion scarlet; a fine round flower of good substance. 3s. 6d.
- ELVANUS**, rich magenta scarlet, shaded orange in upper petals. 2s. 6d.
- FABIAN**, bright reddish scarlet, upper petals shaded with fiery orange. 2s. 6d.
- FATOUUS**, rich magenta, carmine, upper petals shaded orange at base; fine truss. 3s. 6d.
- FESTINA**, reddish scarlet, slightly shaded with magenta. 3s. 6d.
- FORAIN**, clear rose, punctulated with violet carmine in centre. 2s. 6d.
- FRANCOIS COPPÉE**, pure white marmorated and edged with rosy lilac and embroidered with carmine cerise. 1s. 6d.
- GANNET**, violet-magenta, upper petals feathered white at base. 3s. 6d.
- GARLAND**, immense trusses of very large salmon-pink flowers; of good habit; grand for bedding. 3s. 6d.
- GRATUS**, bright salmon - carmine, shaded magenta. 3s. 6d.
- HERA**, soft shade of scarlet - magenta, large truss. 3s. 6d.
- HERMIONE**, soft cerise-scarlet, upper petals marked with vermilion; good shape. 3s. 6d.
- HYDRA**, pale salmon-rose; centre bright salmon. 3s. 6d.
- ITHACA**, rosy violet shaded with crimson, large orange-scarlet marking at base of the two upper petals, tipped with the same colour. 3s. 6d.
- JACQUERIE**, large trusses of enormous flowers of intense fiery purple. 2s. 6d.
- JULES LEMAREAUX**, snow-white margined with reddish violet; very distinct. 1s. 6d.
- JUNON**, good trusses of salmon flowers. 3s. 6d.
- LAMUS**, flowers bright salmon, fine large truss. 3s. 6d.
- LE BRENNUS**, bright crimson amaranth, the two upper petals maculated with white. 1s. 6d.
- LOUISE BILDSTEIN**, pure white, reticulated and margined with dark violet. 1s. 6d.
- LYDIA**, purplish magenta, upper petals marked bright orange at base. 3s. 6d.
- MAIDEN**, fine trusses of snow-white flowers. 3s. 6d.
- MARION**, blush white, heavily shaded and veined with salmon pink. 2s. 6d.
- MARKSMAN**, rich magenta, two upper petals shaded at base with scarlet. 3s. 6d.
- M. H. TILMANT**, dazzling crimson; upper petals maculated with white; white centre surrounded with reddish violet. 1s.
- MURIEL**, white flowers borne in fine trusses. 3s. 6d.
- NANCY**, soft rose pink, fading to white. 3s. 6d.
- NÉGUS MÉNÉLIK**, fine trusses of rose flowers; large white centre. 2s. 6d.
- NERO**, orange-scarlet, shaded with yellow. 3s. 6d.
- ORESTE**, perfectly formed flowers, rose shaded lilac and speckled with purple. 2s. 6d.
- ORMONDE**, fine trusses of cerise-scarlet flowers. 2s. 6d.
- OSSIAN**, magenta scarlet, upper petals shaded with bright scarlet. 2s. 6d.

SINGLE-FLOWERED ZONAL PELARGONIUMS—*continued.*

PARA, carmine scarlet, upper petals shaded with vermilion. 2s. 6d.

PIERRE LEBRUN, enormous trusses of deep rose flowers, marbled and spotted with carmine. 2s. 6d.

PLUTON, enormous trusses of rich purplish red flowers, a most striking colour. 2s. 6d.

POUSCHKINE, purplish crimson, upper petals maculated white, centre of each petal rosy white. 2s. 6d.

PRIAM, salmon scarlet, fine truss and flowers of good shape. 2s. 6d.

RADIANCE, rich purplish magenta, upper petals marked at the base with vermilion. 2s. 6d.

RAMON, handsome trusses of rosy scarlet flowers. 2s. 6d.

RUSSIE, large trusses of rose-coloured flowers with large round white centre. 3s. 6d.

TOREADOR, large red flowers tinted with purple; purple nerves in centre. 3s. 6d.

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

DOUBLE-FLOWERED ZONAL PELARGONIUMS.

ANNIBAL, flowers violet solferino, marked on the upper petals with fiery scarlet. 1s. 6d.

APOTHÉOSE, upper petal white, veined lilac; white centre; lower petals reddish carmine. 1s.

AQUARELLE, white flowers, each petal clearly bordered with bright carmine. 3s. 6d.

BERENICE, large trusses of semi-double carmine rose flowers, maculated with white. 2s. 6d.

CÉSAR, large trusses of purplish crimson flowers. 1s. 6d.

CHARLES GOUNOD, rich scarlet, white centre, bordered reddish violet on upper petals. 1s. 6d.

CHINOISERIE, trusses of semi-double vermilion flowers, shaded with violet amaranth, striped and rayed with white from the centre. 3s. 6d.

COLBERT, soft rose flowers, shaded with orange vermilion. 2s. 6d.

COMTE DE TURIN, large well-made double flowers, blush rose suffused with carmine. 3s. 6d.

DIVINITÉ, large semi-double flowers, dark orange shaded with carmine; a new colour. 3s. 6d.

DON QUICHOTTE, beautiful semi-double reddish scarlet flowers, each petal having the base and centre pure white, the centre surrounded with a marmorated zone of rose amaranth. 3s. 6d.

DUROC, large semi-double rosy lilac flowers, maculated with pure white on the upper petals, the centre freckled with carmine. 3s. 6d.

EMMANUEL ARÈNE, large purplish red flowers, large white centre surrounded with violet red. 1s. 6d.

ETOILE DE NANCY, fine trusses of fiery scarlet flowers, displaying a well-defined centre of pure white surrounded with violet; a well-shaped flower. 1s.

FEU D'ARTIFICE, white flowers outlined and intermixed with fiery scarlet; white centre. 3s. 6d.

GENERAL DAVOUT, scarlet-purple flowers; a free grower. 2s. 6d.

GRANDVILLE, immense semi-double bright reddish scarlet flowers, upper petals maculated with white, pure white centre surrounded with an aureole of carmine violet. 3s. 6d.

HENRI DE PARVILLE, large trusses of semi-double reddish purple flowers, white centre extending into the upper petals, surrounded with bright amaranth. 1s.

HUBER CHARRON, immense trusses of semi-double orange-carmine flowers, with very large white maculations on the upper petals. 1s.

JACQUES CALLOT, enormous semi-double salmon-red flowers, the circumference white, marbled and veined rosy violet, white centre; a beautiful variety. 3s. 6d.

JEAN RAMEAU, semi-double white flowers, nerved and striated with rosy violet, the point of each petal reddish carmine, the colour continuing round the edge of each petal. 1s.

JEUNESSE, clear rose, white centre spreading well into the upper petals. 3s. 6d.

J. T. VAN DEN BERG, bright rosy carmine, heavily speckled with bright red. 3s. 6d.

KING OF DENMARK, immense semi-double flowers of a rich rosy salmon colour; dwarf and compact habit; fine for bedding. Award of Merit. 1s.

KLÉBER, grand trusses of dark purplish violet flowers. 1s. 6d.

LAFAYETTE, fine globular trusses of perfect double flowers, dark minimum red. 1s. 6d.

LA FRANCE, enormous trusses of large pure white flowers. 2s. 6d.

LA JUNGFAU, globular trusses of sulphur-white flowers. 2s. 6d.

LOHENGRIN, large trusses of violet-crimson flowers, the upper petals marked with scarlet. 2s. 6d.

LOUIS FAGES, deep rosy lilac, punctulated with carmine; large truss of well-made flowers. 3s. 6d.

DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

- MADAME GOYEUX**, white marbled rose, each petal margined rosy carmine. 1s.
- MADAME HIPPOLYTE TILMANT**, lower petals marmorated with rose-carmine on a white ground, the upper petals nearly pure white, the entire flower bordered with carmine; dwarf and floriferous. 1s. 6d.
- MAZARIN**, tender rosy lilac, white centre; very floriferous. 2s. 6d.
- M. CANOVAS**, very rich fiery scarlet, immense trusses. 2s. 6d.
- MONT BLANC**, enormous trusses of double white flowers. 2s. 6d.
- NAPOLEON**, globular trusses of orange red flowers; very floriferous. 1s. 6d.
- PAOLO MARITTON**, bright crimson, marked with white at base of petals. 3s. 6d.
- PASTEUR**, very large brilliant scarlet flowers; said to be the finest double scarlet yet sent out. 2s. 6d.
- PAUL BARRÉ**, large semi-double rose flowers, marmorated with white. 2s. 6d.
- PETER BURNET**, bright salmon-pink flowers of good form; a distinct colour. 3s. 6d.
- PREDICTION**, reddish violet semi-double flowers surrounded with carmine, the upper petals blotched with white, nerved with dark rose, whitish centre. 1s.
- PRINCE HENRI D'ORLEANS**, very large trusses of rose flowers, striped with salmon. 2s. 6d.
- RAOUL**, double reddish purple flowers, large white centre enoircled with violet. 3s. 6d.
- RICHELIEU**, crimson scarlet, shaded fiery orange. 2s. 6d.
- ROI DE SIAM**, bright scarlet flowers mixed with purple, large round white eye. 3s. 6d.
- V. MASSE**, bright violet with white maculations; large trusses. 3s. 6d.
- VOUTE CELESTE**, pearly white speckled with carmine; large full flowers. 3s. 6d.

Selections can be made by Mr. W. B. from his General Collection at 9s. and 12s. per dozen.

CHOICE DOUBLE AND SINGLE FLOWERED IVY-LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 9s., 12s. and 18s. per dozen, according to sorts.

CHOICE VARIEGATED, GOLD AND SILVER TRICOLOR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 24s. per dozen, according to sorts.

CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s. and 18s. per dozen, according to sorts.

CHOICE FUCHSIAS.

For New Sorts sent out this year, *vide* page 5.

*Those marked * are Double-flowered Varieties.*

- ***ACHILLES**, a grand variety with short tube and broad dark red shell-shaped sepals; corolla rich plum colour, very full and double, the petals much waved. 3s. 6d.
- ADDINGTON**, a very distinct hybrid variety, raised from the old *fulgens* crossed with one of the ordinary kinds. Awarded a Certificate of Merit by the Royal Horticultural Society. 1s. 6d.
- ***ALFRED RAMBAUD**, very large double flowers, reflexed scarlet sepals, rich violet corolla. 1s.
- BALTIC**, short bright crimson tube and sepals, the latter well reflexed; rich purple single corolla, veined at base with crimson. 2s.
- ***BELLONA**, short tube and completely reflexed sepals of a rosy carmine colour; large white double corolla, suffused and veined rose pink. 1s.
- ***CALLIOPE**, corolla rich violet purple, short tube and broad crimson sepals. 1s.
- CASINO**, very short tube and broad crimson sepals, single corolla, the petals spreading and of a rich purple colour. 1s.
- CECIL**, short tube and broad coral-red sepals, large spreading purplish-red single corolla of good shape. 3s. 6d.

CHOICE FUCHSIAS—*continued.*

- CHAMPION**, bright red tube and sepals, the latter completely reflexed; reddish violet corolla; flower of immense size. 1s. 6d.
- CORNEILLE**, very long recurved scarlet sepals; large violet-blue corolla. 1s.
- ***DE CHERVILLE**, large double rose corolla, sepals dark red and well reflexed. 1s.
- DE GONCOURT**, pretty single white corolla; sepals carmine red; good habit. 1s.
- ***DORIS**, short tube and large broad coral-red sepals horizontally extended; immense double corolla, petals reddish purple, margins shaded with metallic blue. 1s.
- ***DUC D'AUMALE**, large red sepals, immense globular double corolla, white shaded salmon. 1s.
- ELEGANCE**, white tube and sepals, the latter broad and elegantly recurved, single corolla blush pink, each petal margined bright pink. 3s. 6d.
- ***FANE**, short crimson tube and recurved sepals, full double blue corolla, splashed at the base with carmine. 1s. 6d.
- FASCINATION**, a most charming variety with long white tube and sepals, which are broad and prettily recurved; single corolla of a lovely shade of rose pink. 3s. 6d.
- ***FRERE-ORBAN**, large bright red reflexed sepals, large double bluish violet corolla. 1s.
- FORTUNA**, short tube and broad reflexed crimson-red sepals; large single or semi-double white corolla, heavily shaded rose and marked crimson at base. 1s.
- ***GIDOUR**, *see* page 5.
- HECTOR**, dark crimson-red tube and sepals, the latter broad and well reflexed; crimson-purple corolla, the base of petals lit up with bright crimson. 3s. 6d.
- ICARUS**, *see* page 5.
- IRENE**, short red tube and sepals, well reflexed; single reddish violet corolla marked with crimson at base and well extended. 1s.
- ***IRIS**, short tube and broad carmine-crimson sepals; large double white corolla, shaded with rose and flaked rose pink. 1s.
- ***JANUS**, *see* page 5.
- LAMARTINE** (1897), short clear red sepals, horizontally reflexed; double corolla of a lilac shade of sky-blue; plant of dwarf habit and very floriferous. 1s.
- LEDA**, short tube and very broad reddish crimson sepals, irregularly reflexed; corolla bluish violet veined with crimson and much expanded. 1s.
- LINDA**, *see* page 5.
- LUCIUS**, very large and broad bright crimson sepals, completely reflexed, tube short; large white corolla, veined with rose at the base. 2s.
- ***MENTO**, *see* page 5.
- ***METIS**, short dark rose tube and sepals, the latter well reflexed; double white corolla marked deep rose at base. 1s.
- ***MOLIERE**, large recurved wine-red sepals; enormous double corolla, with large plum-coloured petals. 1s.
- OBERON**, a charming light Fuchsia with white tube and sepals, the latter semi-reflexed; single corolla, bright rosy carmine, shaded magenta. 2s.
- ***OID**, short coral-red tube and sepals, the latter broad and well reflexed; immense double white corolla, shaded magenta, crimson at base. 2s.
- PENDANT**, short tubes with long and broad extended carmine-pink sepals; corolla, single or semi-double, rich plum colour, shaded with rose at base; pendent habit. 2s.
- ***ROSALIE**, short bright crimson tube and sepals, horizontally extended; large double white corolla, veined at the base with cerise pink. 1s.
- RUPERT**, short tube completely hid by the broad recurved cerise-red sepals; single corolla, very large and spreading of a rich bright purple, veined and suffused with crimson at the base. 3/6.
- ***SERENA**, very short rosy pink tube, sepals completely reflexed; immense double spreading corolla, blush rose veined with deep pink. 1s.
- ***THALIA**, short tube and broad coral-crimson sepals, well reflexed; semi-double white corolla, the petals well expanded, suffused with rose and veined crimson at the base. 1s.
- TRIBUTE**, very short tube and completely reflexed bright reddish crimson sepals; violet-purple single corolla, veined and shaded at base with crimson-red. 2s.
- VALIANT**, *see* page 5.
- ***VICTOR HUGO**, large blood-red sepals; large double corolla, violet-purple marbled red. 1s.
- ***VOLTAIRE**, short and broad reflexed scarlet sepals, very large double corolla, plum coloured, all the petals veined with rose. 1s.

Many other varieties can be supplied from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

INDEX.

	PAGE		PAGE		PAGE
ABROMA	7	CYPERUS	11	MIMOSA	15
ACALYPHA	7	CYRTANTHUS	19	MUSA	16, 23 & 32
ACHIMENES	30	CYRTODEIRA	11	NEGELIA, <i>vide</i> GESNERA	31
ADIANTUM	37 & 40	DÆMONOROPIS, <i>vide</i> CALAMUS	34	NEPENTHES	16
ÆCHMEA	7	DAVALLIA	39 & 41	NEPHRODIUM	40 & 41
AGAPANTHUS	3 & 18	DEYEXIA	19	NEPHROLEPIS	40
AGLAONEMA	6 & 7	DIANELLA	19 & 21	NERINE	4 & 23
ALLAMANDA	7	DICKSONIA	41	— OANDIDA	4
ALOCASIA	7	DIEFFENBACHIA	11	NEW PLANTS announced for the first time	3 to 5
ALPINIA	7	DIOSCOREA	11	NIDULARIUM	16
ALSOPHILA	40	DIPLODENTIA	11	OFFICIAL AND MEDICINAL PLANTS	32 & 33
ALTHÆA, <i>vide</i> HIBISCUS	28	DOODIA	41	OPLISMENUS	16
AMARYLLIS	7	DRACENA	3, 11, 13 & 21	PALMS, CYADS, &c.	34 to 36
AMASONIA	8	— VICTORIA	3	PANAX	16
AMORPHOPHALLUS	8 & 18	DRYNARIA HILLII	3	PANCRATIUM	16
ANEMIDICTYON	37	ENCEPHALARTOS	35	PANDANUS	16
ANTHURIUM	3, 8 & 9	ENCHOLIRION	13	PANICUM, <i>vide</i> OPLISMENUS	16
— ANDREANUM	3 & 8	ERANTHEMUM	13	PASSIFLORA	16 & 23
— SCHERZERIANUM	8 & 9	ERYTHRINA	21	PAULINIA	16 & 33
APHELANDRA	9	ERYTHROXYLON COOA	13 & 32	PAVETTA	16
ARALIA	9 & 18	EUCALYPTUS	21	PAVONIA	16
ARAUCHARIA	18	EUCHARIS	13	PELAGONIUMS	5 & 43 to 46
ARDISIA	9	EUCODONIA	30	PELLIONIA	16
ARECA	34	EURYCLES	13	PENTAS	16
ARISTOLOCHIA	9	FERNS	37 to 42	PEPEROMIA	16
ARTOCARPUS	9 & 33	FICUS	13, 14, 21, 32 & 33	PETUNIA VICTORIA	5
ASPARAGUS	18	FRANCISCEA	14	PHILODENDRON	16
ASPLENIUM	39 & 41	FUCHSIA	5, 46 & 47	PHENIX	36
ATACCIA	9	— NEW SORTS	5	PHYLLANTHUS	16
AZALEA	18	GARDENIA	14	PHYLLOCACTUS	23
BEAUMONTIA	9	GEONOMA	35	PHYLLIOTENIUM	16
BEGONIA	31	GESNERA	14 & 31	PIPER	16, 32 & 33
BIGNONIA	9 & 18	GLEICHENIA	39	PTCAIRNIA	16
BLANDFORDIA	18	GLORIOSA	14	PLUMBAGO	16 & 23
BOUGAINVILLEA	9	GLOXINIA	31	POLYPODIUM	4 & 42
BOUARDIA	18	GREENHOUSE PLANTS, 18 to	28	POLYSTICHUM	40 & 42
BREDIA	18	GRIFFINIA	14	PRIMULA	23
BEOWNEA	9	GYMNOGRAMMA	39	PTERIS	40 & 42
CALADIUM	29	HABROTHAMNUS	21	PTYCHOSPERMA	36
CALAMUS	34	HARDY PLANTS	28	REINWARDTIA	23
CALLIPHRYURIA	9	HERYCHUM	21	RHAPS	36
CALODENDRON	18 & 32	HELICONIA	14	RHEUM	28
CAMELLIA	19	HIBISCUS	14, 21 & 28	RHODODENDRON, 4 & 26 to	28
CAMOENSIA MAXIMA	9	HIPPEASTRUM, <i>vide</i> AMARYLLIS	7	— FORDII	4
CANNA	19	HOYA	14	— NEW SORTS	4
CARLUDOVICA	34	HYMENOCALLIS	14	RICHARDIA	23 & 25
CARNATIONS	19	IMANTOPHYLLUM	22	RUELLIA	17
CEROPEGIA	9 & 10	IMPATIENS	15	SAINTPAULIA	17
CHAMÆOLADON	10	IPOMÆA	15	SANSEYEIRA	17
CHAMÆDorea	34	IRIS	22 & 28	SCHISMATOGLOTTIS	17
CHAMÆROPS	34	IXORA	15	SCHUBERTIA	17
CHAMERANTHEMUM	10	JASMINUM	4, 15 & 22	SERAPORTHIA	36
CHRYSANTHEMUM	31	— NITIDUM	4	SELAGINELLA	42
CIBOTIUM	39 & 41	KEMPFERIA	15	SMILAX	17 & 33
CIRNEKOWSKIA	10	KENTIA	35	SOLANUM	17 & 25
CINNAMOMUM	10 & 32	LAMPROCOCCUS	15	STEPHANOTIS	17
CISSUS	10 & 19	LANDOLPHIA	15 & 32	STEVENSONIA	36
CLEMATIS	19	LAPAOERIA	22	STOVE PLANTS	6 to 17
CLEODENDRON	10	LASIANDBRA	22	TACSONIA	17 & 25
CLIMBING PLANTS for Stove	17	LASTREA	39 & 41	TECOMA	25
COCHLOSTEMA	10	LATANIA	36	THRINAX	36
COCOS WEDDELLIANA	34	LICUALA	4 & 36	TILLANDSIA	17
COFFEA	10 & 32	— MUELLEBI	4	TRADESCANTIA	17
COLEUS	19	LILIUM	28	TREE FERNS	37
CORYPHA, <i>vide</i> LIVISTONA	36	LIVISTONA	36	TROPICAL FRUITS	32 & 33
CRinum	19 & 20	LOMARIA	39 & 41	TYDEA	31
CRIOION	10	MACKAYA BELLA	22	VALLOTA	24 & 25
CRYPTANTHUS	10 & 11	MACROZAMIA	36	VRIESIA	17
CURCULIGO	11	MARANTA	15	ZAMIA	36
CYANOPHYLLUM	11	MEDICINAL AND OFFICIAL PLANTS	32 & 33	ZINGIBER	17 & 33
CYATHEA	41	MEDINILLA	15		
CYODS	35				



BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots or planted in the open air.

ANALYSTS' REPORT.

The analysis shows this to be a complete Plant Food, and of the highest quality. The material not only contains an abundance of all the constituents necessary for plant growth, but the analysis shows also that the four chief constituents are each in that combination which renders them in the most beneficial and available form for the healthy development of plants.

For these reasons, users of this Plant Food in the proper quantities cannot fail to produce the very best results within the capability of their plants.

CANNON & NEWTON,

Analytical and Consulting Chemists, 39, Mincing Lane, London, E.C.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a small teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For CHRYSANTHEMUMS.—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,
ESTABLISHMENT FOR NEW & RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.

THE
CATALOGUE
OF
PLANTS.